Subject: DIPLOMA IN PHARMACY

(Booklet Number)

Duration: 2 Hour

Full Marks: 100

INSTRUCTIONS

- 1. All questions are of objective type having four answer options for each. Only one option is correct. Correct answer will carry full marks 1. In case of incorrect answer or any combination of more than one answer, ¼ marks will be deducted.
- 2. Questions must be answered on OMR sheet by darkening the appropriate bubble marked A. B, C or D.
- 3. Use only **Black/Blue ball point pen** to mark the answer by complete filling up of the respective bubbles.
- 4. Mark the answers only in the space provided. Do not make any stray mark on the OMR.
- 5. Write question booklet number and your roll number carefully in the specified locations of the OMR. Also fill appropriate bubbles 2005
- 6. Write your name (in block letter), name of the examination centre and put your full signature in appropriate boxes in the OMR.
- 7. The OMR is liable to become invalid if there is any mistake in filling the correct bubbles for question booklet number roll number or if there is any discrepancy in the name/signature of the candidate, name of the examination centre. The OMR may also become invalid due to folding or putting stray marks on it or any damage to it. The consequence of such invalidation due to incorrect marking or careless handling by the candidate will be sole responsibility of candidate.
- 8. Candidates are not allowed to carry any written or printed material, calculator, pendocu-pen, log table, wristwatch, any communication device like mobile phones etc. inside the examination hall. Any candidate found with such items will be **reported** against & his/her candidature will be summarily cancelled.
- 9. Rough work must be done on the question paper itself. Additional blank pages are given in the question paper for rough work.
- 10. Hand over the OMR to the invigilator before leaving the Examination Hall.

Pharmacy-2019

COMPLIENTAL

1.	Whi	ch organ acts as both exocrine and endoor	crine a	ctivities?					
	(A)	Liver	(B)	Spleen					
	(C)	Kidney	(D)	Pancreas					
2.	Asco	orbic acid is used as							
	(A)	Preservative	(B)	Antiulcer					
	(C)	Antioxidant	(D)	Antiemetic					
3.	Drag	gendorf('s reagent is solution of							
	(A)	Potassium mercurie iodide							
	(B)	Potassium cadmium iodide							
	(C)	Potassium bismuth iodide							
	(D)	Potassium iodide							
4.	Quinine and quinidine differ in								
	(A)	Chemical structure		, ,					
	(B)	Solubility							
	(C)	Rotating the plane of polarised light		た。 Magin					
	(D)	Rotating the plane of polarised light Obtained from different plant	-						
5.	Alla	re non-essential amino acid, except:							
	(A)	Tyrosine	(B)	Serine					
	(C)	Glycine	(D)	Valine					
6.	Foxglove leaf is a synonym of								
	(Λ)	Digitalis	(B)	Senna					
	(C)	Vinca	(D)	Vasaka					
7.	Whic	ch one is β-lactamase inhibitor?							
	(A)	Pantothenic acid	(B)	Clavulanic acid					
	(C)	Ethacrynic acid	(D)	Hexadecanoic acid					
JEL	ET_Di _l	ploma in Pharmacy 3			F				

8.	Оріі	um is detected by testing the presci	nce of						
	(A)	Morphine	(B)	Narcotine					
	(C)	Meconic acid	(D)	Papaverine					
9.	Which one of these antihistaminic drugs is used as appetite stimulant?								
	(A)	Promethazine hydrochloride	(B)	Pheniramine maleate					
	(C)	Fexofenadine	(D)	Cyproheptadine					
10.	Two	polypeptide chain in insulin is lin	ked together	by					
	(A)	Hydrogen bond	(B)	Disulphide bond					
	(C)	Covalent bond	. (D)	Nitrogen bond					
11.	The	main requirements of eye drop is t	hat						
	(A)	Isotonic	(B)	Sterile					
	(C)	Free from foreign particles	(D)	Aff of these					
12.	Green tea contains								
	(A)	Protocatechuic acid	(B)	Catechol					
	(C)	Tannic acid	्रैं ^ड ि(D)	Vitamin C					
13.	The role of Vitamin E is as an								
	(A)	Antithrombotic	(B)	Antihemorrhagic					
	(C)	Antixerophthalmic	(D)	Antisterility					
14.	FT-IR analysis of a sample is done to detect the								
	(A)	Miscibility studies							
	(B)	Solubility studies							
	(C)	Interaction studies between funct	ional groups						
	(D)	Surface morphology studies							
15.	Whic	ch one is wall less bacterium?							
	(A)	Rickttesiae	(B)	E. coli					
	(C)	Mycoplasma	(D)	P. notatum					
JELJ	ET Di	nloma in Pharmacy	.1						

16.	Che	mical name of Vitamin K is						
	(A)	Menadione	(B)	Thiamine				
	(C)	Ascorbic acid	(D)	Ionositol				
17.	Whi	ich one is obligate parasite ?						
	(A)	Vibrio cholerae	(B)	Clostridium tetani				
	(C)	Treponema pallidum	(D)	Bacillus subtilis				
18.	Men	ndel's paint contains						
	(A)	Λg	(B)	Zn				
	(C)	Sn	(D)	l_2				
19.	Whi	ch barrier prevents the entry of Dopan	nine in the	e treatment of parkinsonism ?				
	(A)	Blood brain barrier	(B)	Placental barrier				
	(C)	Cerebrospinal fluid barrier	(D)	Intestinal fluid				
20.	Tropane ring containing alkaloid is obtained from							
	(A)	Belladonna	(B)	Épĥedra				
	(C)	Belladonna Ergot	(D)	Vinca				
21.	Which of the following compound follows competitive enzyme inhibition due to structural similarities?							
	(A)	Amoxycillin and clavulanic acid	(B)	Levodepa and carbidopa				
	(C)	Penicillin and probenecid	(D)	Sulfamethoxazole and trimethoprim				
22.	Aloe belongs to family							
	(A)	Apocynaceae	(B)	Rubiaceae				
	(C)	Solanaceae	(D)	Liliaceae				
23.	The p	popular IUCD is						
	(Λ)	Condom	(B)	Copper T				
	(C)	Foam tablet	(D)	Cream				
JELI	ET_Di	ploma in Pharmacy	5	· · · · · · · · · · · · · · · · · · ·				

24.	Dioc	ctyl Sodium sulfosuccinate is us	sed in tooth paste	e as					
	(A)	Sweetening agent	(B)	Surface active agent					
	(C)	Humectant	(D)	Binder					
25.	Caff	eine is							
	(A)	3,7-dimethyl xanthine	(B)	1,3-dimethyl xanthine					
	(C)	1,3,7-trimethyl xanthine	(D)	1.7-dimethyl xanthine					
26.		of different diseases in which , 1945 is given under	a drug may not	cure under the Drugs and Cosmetics					
	(Λ)	Schedule-C and – C1	(B)	Schedule-J					
	(C)	Schedule-O	(D)	Schedule-P					
27.		he limit test of arsenic, whi	ch instrument	is used to detect the impurities in					
	(A)	Gutzeit apparatus	(B)	Nessler cylinder					
	(C)	Kipp's apparatus	2004 4004	Deionizer					
	(0)	търг о принция							
28.	Tetracycline group of drugs are contraindicated with antacids due to								
	(A)	Conjugation	(B)	Hydroxylation					
	(C)	Chelation	(D)	Oxidation					
29.	Whic	ch of the alkaloids are liquid an	d volatile in natu	ire?					
	(A)	Nicotine and coniine	(B)	Morphine and papaverine					
	(C)	Atropine and quinine	(D)	Vincristine and vinblastine					
30.	Pharmaceutical Products from biological origin should be stored in								
	(A)	−4 °C	(B)	0 °C					
	(C)	above 20 °C	(D)	2 to 10 °C					
31.	A su	icide enzyme is							
	(A)	Lipoxygenase	(B)	Phospholipase A1					
	(C)	Cyclooxygenase	(D)	Phospholipase A2					
JELI	ET_Di	ploma in Pharmacy	6	Α					

32.	Stat	in group of drugs are used in	n the treatme	nt of					
	(A)	Osteoarthritis		(B)	Xerophthalmia				
	(C)	Parkinsonism		(D)	Atherosclerosis				
33.	Hov	How many volumes of the latest edition of I.P., 2018?							
	(A)	Three		(B)	Five				
	(C)	Four		(D)	Six				
34.	Whi	ch antiviral drug used in the	treatment o	î Parkii	nsonism?				
	(A)	Acyclovir		(B)	Amantadine				
	(C)	Zidovudine		(D)	Azadirachtin				
35.	Pyro	ogen is							
	(A)	Endotoxin of Gram Negat	ive bacteria						
	(B)	Exotoxin of Gram Positive	e bacteria						
	(C)	Interferon							
	(D)	Bacterial metabolites							
36.	Acute apex and asymmetrical leaf base is found in the leaf of								
	(A)	Vasaka		(B)	Vinca				
	(C)	Digitalis		(D)	Senna				
37.	Whic	Which one is morphine antagonist '?							
	(A)	Codeine		(B)	Nalorphine				
	(C)	Prostaglandin		(D)	Pethidine				
38.	Diethylcarbamazine citrate is used in the treatment of								
	(A)	Leprosy		(B)	Dengue				
	(C)	Malaria		(D)	Filariasis				
39.	The 1	most essential fatty acid is							
	(Λ)	Palmitic acid		(B)	Linolenic acid				
	(C)	Arachidonic acid		(D)	Stearic acid				
JELI	ET_Di _l	ploma in Pharmacy	7				A		

40.	Prot	ein energy malnutrition causes							
,	(A)	Marasmus	(B)	Obesity					
	(C)	Diabetes	(D)	Cancer					
41.	Larg	actil is a common name for							
	(A)	Prochloeperazine	(B)	Chlorpromazine					
	(C)	Perphenazine	(D)	Promethazine					
42.	The	constituent of a vital enzyme carbonic an	hydras	se is					
	(A)	Manganese	(B)	Calcium					
	(C)	Zinc	(D)	Iodine					
43.	The	diagnostic agent 'propyliodone' is used f	or						
	(A)	Urography	(B)	_B ronchography					
	(C)	Arteriography	(D)	Myelography					
44.	Dysphagia means								
	(A)	Difficulty in urination	(B)	Difficulty in defecation					
	(C)	Difficulty in breathing	(D)	Difficulty in swallowing					
45.	Lign	Lignified trichomes are identifying characteristic feature of							
	(A)	Dartura	(B)	Nux-Vomica					
	(C)	Digitalis	(D)	Senna					
46.	Which drug is uterine smooth muscle relaxant?								
	(A)	Dexfenfluramine	(B)	Lactulose					
	(C)	Isoxsuprine	(D)	Ramipril					
47.	Activ	ve form of levodopa is							
	(A)	Carbidopa	(B)	Dopamine					
	(C)	Epinephrine	(D)	Nor-adrenaline					
JEL	ET_Di	ploma in Pharmacy 8		Α					

48.	Hep	parin is a						
	(A)	Protein	(B)	Homopolysaccharide				
	(C)	Heteropolysaccharide	(D)	Fat				
49.	Mic	haelis-Menten equation is related to						
	(A)	Enzyme activity	(B)	Glomerular filtration rate				
	(C)	Renal blood flow	(D)	Pulmonary ventilation				
50.	Une	ven colour distribution on tablet surface	is kno	wn as				
	(A)	Mottling	(B)	Picking				
	(C)	Sticking	(D)	Capping				
51.	Sodi	ium citrate in ORS acts as						
	(A)	Systemic acidifier	(B)	Systemic alkalinizer				
	(C)	Mood stabilizer	(D)	Thirst quenching				
52.	Glon	nerular filtration rate (GFR) is measured	1					
	(A)	Para-aminohippuric acid	(B)	Glucose				
	(C)	Lactose	(D)	Inulin				
53.	Bariu	ım sulphate is a						
	(A)	Cathartic	(B)	Radiopaque substance				
	(C)	Protective	(D)	Fecal softener				
54.	Mixing of quinine and salicylate, the following type of incompatibility occur:							
	(A)	Chemical incompatibility	(B)	Therapeutic incompatibility				
	(C)	Physical incompatibility	(D)	Liquefaction incompatibility				
55.	First	Indian Pharmacopoeia was published in						
	(A)	1955	(B)	1966				
	(C)	1976	(D)	1980				
JELE	ET_Dip	oloma in Pharmacy 9						

A

56.	Hermetically sealed container								
	(A)	protects loss of product during handling	g.						
	(B)	is impervious to air.							
	(C)	is light resistant.							
	(D)	prevent loss of product from effervesee	ence.						
57.	Ame	elia induced by thalidomide is							
	(A)	Allergic disease	(B)	Idiosyncratic disease					
	(C)	Teratogenic disease	(D)	Neoplastic disease					
58.	Ergo	ot preparations are useful in migraine due	to its						
	(A)	Oxytocic action	(B)	Vasoconstriction action					
	(C)	α-receptor blocking action	(D)	Muscarinic action					
59.	The	The ideal antiseptic concentration of ethyl alcohol is							
	(A)	70 %	(B)	30-26					
	(C)	50 %	(D)	<u> </u>					
60.	Red colour of Tr. Card. Co. is due to the presence of								
	(A)	Zine oxide	(B)	Red oxide					
	(C)	Amaranth	(D)	Cardamom					
	F 11			· in a s					
61.		owing constituents are antitussive, but when							
	(A)	Glycyrrhizin	(B)	Vasicine					
	(C)	Tolu balsam	(D)	Codeine					
62.	Selec	et the beneficial bacterium of the followi	ngs :						
	(A)	S. typhi	(B)	L. mesenteroides					
	(C)	E. coli	(D)	C. botulinum					
63.	Unw	ranted effect of isoniazid is							
	(A)	Megaloblastic anaemia	(B)	Hemolytic anaemia					
	(C)	Aplastic anaemia	(D)	Iron deficiency anaemia					
JELI	ET_Di	ploma in Pharmacy 10			A				

64.	Sod	ium metabisulfite is used in	pharmaceutic	al pre	paration as			
	(A)	Oxidant		(B)	Reductant			
	(C)	Antimicrobial		(D)	Tonicity enhancer			
65.	Whi	ich of the following is autoin	nmune disease	e ?				
	(A)	Congestive heart failure		(B)	Cholelithiasis			
	(C)	Gray baby syndrome		(D)	Myasthenia gravis			
66.	Peni	icillamine is an antidote for						
	(Á)	Copper poisoning		(B)	Penicillin overdose			
	(C)	Iron poisoning		(D)	Alkali poisoning			
67.	Surg	gical dressings are sterilized	by					
	(A)	Dry heat sterilization		(B)	Gascous sterilization			
	(C)	Radiation sterilization		(D)	Moist heat sterilization			
68.	Meta	abolic acidosis is treated by		. 1				
	(A)	Ammonium chloride	The state of the s	(B):	Sodium chloride			
	(C)	Sodium bicarbonate		(D)	Sodium carbonate			
69.	Whi	Which one of these has smooth muscle relaxant property?						
	(A)	Dobutamine		(B)	Meteraminol			
	(C)	Dexedrine		(D)	Isoxsuprine			
70.	Isosorbide dinitrate is usually administered by							
	(A)	Sublingual route		(B)	Oral route			
	(C)	Intravenous route		(D)	Subcutaneous route			
71.	Мус	osis is related to						
	(A)	Viral infection		(B)	Bacterial infection			
	(C)	Fungal infection		(D)	Nosocomial infection			
JELI	ET_Di	ploma in Pharmacy	11			Α		

如中国的14.1000 (1911) (1911) (1911) (1911) (1911) (1911) (1911) (1911) (1911) (1911) (1911) (1911) (1911) (1911)

72.	Whic	ch place is not involved for the import	t of drug	s by sea into India ?
	(A)	Goa	(B)) Kolkata
	(C)	Mumbai	(D)) Chennai
73.	Dry s	syrups are preferred to liquid syrups		
	(A)	because they need not be packed in l	bottle.	
	(B)	because they are easy to administer.		
	(C)	because they are economical.		
	(D)	because of stability during storage.		
74.	Smal	II salaried people open		
	(A)	Fixed deposit	(B)) Savings deposit
	(C)	Recurring deposit	(D) Current deposit
			1.10 1.1	Control of the contro
75.		volume of injection should not exceed	a io mi	M. W.
	(A)	Intravenous	A A	ntramuscular
	(C)	Both (Λ) and (B)	(D) Intradermal
76.	Com	bination therapy is adopted in the trea	atment o	ftuberculosis
	(A)	To increase the activity of each drug	g (B) To increase the spectrum
	(C)	To reduce the toxicity	(D) To reduce the bacterial resistance
77.	Stero	oidal antibiotic is		
	(A)	Kanamycin	(B) Fusidic acid
	(C)	Gentamicin	(D) Polymyxin
78.	In io	dometric titration which indicator is t	used?	
70.	(Λ)	Soluble starch	(B) Phenol red
	(C)	Methyl blue	(D	
JEL		•	12	A

79.	In li	mit test for iron citric acid is used beca	use it					
	(A)	Maintains pH						
	(B)	Prevent precipitation of iron with am	monia					
	(C)	Acts as an oxidant						
	(D)	Reduces surface tension						
80.	Eryt	hropoietin is a hormone which is secre	ted from					
	(A)	Lungs	(B)	Liver				
	(C)	Kidney	(D)	Bone marrow				
81.	Cala	nmine chemically is						
	(A)	ZnCO ₃	(B)	$Zn(NO_3)_2$				
	(C)	$Zn(OII)_2$	(D)	ZnSO ₄				
82.	Muc	eus is secreted from	·					
0_1	/ A >	Chi.f II	(B)	Qxyntic cell				
	(C)	Goblet cell	, 7D).	Pàracrine cell				
		==10	a bet M	*.				
83.	(A) Chief cell (B) Oxyntic cell (C) Goblet cell Polyvinylpyrrolidone (PVP) is used in the tablets as (A) Color modifier (B) Glidant (B) Oxyntic cell (B) Glidant (C) Binder (D) Disintegrating agent							
	(A)	Color modifier	(B)	Glidant				
	(C)	Binder	(D)	Disintegrating agent				
84.	Peni	Penicillin shows antimicrobial activity by						
	(A)	Inhibiting cell wall synthesis	(B)	Inhibiting Protein synthesis				
	(C)	Perforation of cell membrane	(D)	Alkylation of DNA				
85.	For c	chloroquine resistant malaria which dru	g is give	n?				
	(A)	Primaquine	(B)	Sulfadoxine				
	(C)	Quinine	(D)	Proguanil				
86.	Whic	ch one possesses antithrombotic activity	v ?					
	(A)	Piroxicam	(B)	Phenylbutazone				
	(C)	Aspirin	(D)	Paracetamol				
JELI	ET_Di _l	ploma in Pharmacy 13			·			

87.	Regi	Registration of Pharmacist in State Pharmacy Council is valid upto						
	(A)	31st March						
	(B)	One year from the date of registr	ration					
	(C)	31st December of the year of reg	istration	1				
	(D)	Five years						
88.	The	request from a physician to a phai	rmacist t	o disp	pense a drug is called as			
	(A)	Order		(B)	Prescription			
	(C)	Case sheet		(D)	Instruction manual			
89.	Steri	ile powder for injection is categor	ized und	ler	•			
	(A)	Solid dosage form		(B)	Liquid dosage form			
	(C)	Semisolid dosage form		(D)	Imperats			
90.	Which order is always followed by Radioactives?							
	(A)	Second order		(B)	Third order			
	(C)	Zero order		(D)	First order			
91.	Liquid oral preparation containing concentrated aqueous solution of sucrose is called as							
	(A)	Lotion		(B)	Emulsion			
	(C)	Syrup		(D)	Tincture			
92.	Indiv	Individual member of androecium is called as						
	(Λ)	Carpel		(B)	Stamen			
	(C)	Sepal		(D)	Perianth			
93.	The	Central Pharmacopoeia Laborator	y is loca	ited at				
	(A)	Delhi		(B)	Mumbai			
	(C)	Kasauli		(D)	Ghaziabad			
JEL.	ET_Di	ploma in Pharmacy	14			A		

94.	Example of antidiuretic hormone is			
	(A)	Vasopressin	(B)	Oxytocin
	(C)	Insulin	(D)	Glucagon
95.	Sennoside Λ and Sennoside B is used as			
	(A)	Purgative	(B)	Anthelmintic
	(C)	Diuretic	(D)	Astringent
96.	In Clerk's formula, weight is mentioned as			
	(A)	pound	(B)	gram
	(C)	kilogram	(D)	grain
97.	Following are the examples of O/W emulsion, except:			
	(A)	Milk	∌(B)∂	Shaving cream
	(C)	Cold cream	(D)	Shaving cream Vanishing cream
98.	Cold cream is also known as			
	(A)	Foundation cream	(B)	Soft cream
	(C)	Skin moisturizer	(D)	Skin protective
99.	Veegum is a/an			
	(A)	Polyol	(B)	Organic gum
	(C)	Synthetic gum	(D)	Clay
100.	Supp	ositories used for ear infection are called		
	(A)	Rockets	(B)	Cones
	(C)	Bougies	(D)	Pessaries
JELE	ET_Di	ploma in Pharmacy 15		