

DO NOT OPEN THIS QUESTION BOOKLET UNTIL YOU ARE ASKED TO DO SO

Booklet Series



QUESTION BOOKLET PAPER – I

Booklet No.

102817

Time Allowed: 2 Hours

Maximum Marks: 100

INSTRUCTIONS FOR CANDIDATES

- 1. Immediately after the commencement of the Examination you should check that this Question Booklet does not have any unprinted or torn or missing pages or items, etc. If so, get it replaced by a complete Question Booklet.
- 2. You have to enter your Roll Number on the Question

 Booklet in the Box provided alongside. DO NOT write

 anything else on the Question Booklet.
- 3. Candidate must fill up the necessary information in the space provided on the supplied OMR (Optical Mark Recognition) Answer Sheet before commencement of the Examination. See directions on the OMR Answer Sheet.
- 4. For marking the correct answer, darken **one** circle by **black** or **blue** ball point pen only. **Do not** mark more than one circle. Darkening more than one circle against an answer will be treated as wrong answer.
- 5. Do not detach any leaf from this Question Booklet. After the Examination, hand over the OMR Answer Sheet to the Room Invigilator. You are allowed to take the Question Booklet after the Examination is over.
- 6. This Question Booklet contains 100 questions. There is no negative marking for any wrong answer.
- 7. One page has been provided for Rough Work in this Question Booklet.
- 8. Possession and use of Calculator, Mobile Phone and Electronic Gadget etc. is prohibited in the Examination Hall.
- 9. Candidates are informed that evaluation of the <u>OMR Answer Sheet will be done by Electronic Machine</u>. So, you should shadow the bubbles of Roll No. and Booklet Series properly on <u>OMR Answer Sheet</u>, otherwise <u>Machine will not be able to capture the required information</u>. Failure to comply this instruction will be the sole responsibility of the candidates.
- 10. Candidates appearing in the Examination will be allowed to leave the Examination Hall only after completion of the Examination.

DO NOT OPEN THIS QUESTION BOOKLET UNTIL YOU ARE ASKED TO DO SO

		2		Set-A		
	(C)	zinc oxide eugenol	(D)	Impression waxes		
	(A)	calcium hydroxide	(B)	polysulfide _		
6.		aterial utilised for making secondary imp cclusal records and as surgical dressing		ion for edentulous arch, registration		
6	(C)	·	• •	Utility Wax		
	(A)	Processing wax	(B)	Pattern Wax		
5.	Blue	e inlay wax is				
	(D)	·				
	(C)	Glazing has no effect on strength of por	ceiai	n		
	(B)	Is weaker than unglazed porcelain				
		Is much stronger than unglazed porcela	iin			
4.		zed porcelain				
	(C)	300 nanometers	(D)	400 nanometers		
	(A)	100 nanometers	(B)	200 nanometers		
	thar		(D)	000		
3.	In th	nis visible light activation system, the visi	ible li	ght radiation used should be greater		
	(C)	Glass ionomer	(D)	Silica		
	(A)	Polycarboxylate cement	(B)	resin cement		
	has	a degree of translucency and does not in	rritate	e pulp?		
, 2.	. Which of the following cement bonds to tooth structure has an anticariogenic effect,					
	(D)	Any of the above				
	(C) Presence of a sprue former on a MOD cavity wax pattern with a bulky proximal walls					
	(B)	Absence of reservoir				
	(A)	Sprue former having diameter less than	1.5 r	mm		
1.	. What is the cause of localised Shrinkage porosity?					

7. 'Binder' in composition of toothpaste is				
	(A)	Hydrated Silica	(B)	Glycerine
	(C)	Carboxymethyl cellulose	(D)	Sorbitol
8.		rent protocol for disinfecting alginate impease Control (CDC) is	ress	ion recommended by Centre for
	(A)	Immersion of impression in 2% glutarale	dehy	de for 20 minutes
	(B)	Immersion of impression in iodoform for	20 r	ninutes
	(C)	Spray of household bleach 1:10 dilution	1	
	(D)	Spray of 90% methylated spirit		
9.	Whi	ich of the following passes rapidly across	s the	cell membrane ?
	(A)	CO ₂	(B)	Water
	(C)	Glucose	(D)	Urea
0.	Whi	ich type of hypoxia is common in high att	titude	?
	(A)	Hypoxic hypoxia	(B)	Anemic hypoxia
	(C)	Stagnant hypoxia	(D)	Histotoxic hypoxia
1.	Hea	art rate increased by all except		
	(A)	Sympathetic nerve stimulation	(B)	Adrenaline injection
	(C)	Exercise	(D)	Parasympathetic nerve stimulation
2.	The	deficient hormone in diabetes insipidus	is	*
	(A)	Calcitriol	(B)	Vasopressin
	(C)	Cortisol	(D)	Glucagon
3.	Cer	ebellum is mainly concerned with		
	(A)	Fine skillful membrane		
	(B)	Muscle power		
	(C)	Muscle tone alone		•
	(D)	Tone, posture and body balance		

8				1 (50) No. 1(0) Ni		
14.	4. Which period of menstrual cycle is constant?					
	(A)	Follicular	(B)	Bleeding		
	(C)	Luteal	(D)	None of the above		
15.	Pre	sence of Vanillylmandelic Acid (VMA) is	sugg	gestive of in urine		
	(A)	Cushing's syndrome	(B)	Pituitary syndrome		
	(C)	Pheochromocytoma	(D)	Insulinoma		
16.	Mai	ndibular foramen provides passage to				
	(A)	Inferior alveolar nerve	(B)	Inferior alveolar artery		
	(C)	Inferior alveolar vein	(D)	All of the above		
17.	Roc	ot value of phrenic nerve is				
	(A)	$C_3 C_4 C_5$	(B)	$C_4 C_5$		
۶	(C)	C ₄ C ₅ C ₆	(D)	None of the above		
18.	Car	otid triangle contains all except				
	(A)	Glossopharyngeal nerve	(B)	Vagus nerve		
	(C)	Accessory nerve	(D)	Hypoglossal nerve		
19.	Acti	on of lateral pterygoid muscle is		•		
	(A)	Closing of mouth	(B)	Opening of mouth		
	(C)	Retraction of lower jaw	(D)	Cleaning of the teeth		
20.	The	upper lip is formed by				
	(A)	Maxillary processes	(B)	Frontonasal processes		
	(C)	Maxillary and median nasal process	(D)	Front and median nasal process		
21.	Cer	ebellum has three layers except				
	(A)	Purkinje cell layer	(B)	Granular layer		
	(C)	Multiformed layer	(D)	Molecular layer		

22.	2. Treacher collins syndrome is not associated with			
	(A)	Mutation of TCoF ₁ gene	(B)	Autosomal Dominant trait
	(C)	Upper eye lid coloboma	(D)	Molar hypoplasia
23.	Whi	ch of the following is not a part of mucou	s me	embrane ?
	(A)	Epithelium	(B)	Lamina propria
	(C)	Submucosa	(D)	Muscularis mucosa
24.	Whi	ch of the following has hyaline cartilage	?	
	(A)	Intervertebral disc	(B)	Glenoid labrum
	(C)	Epiphyseal plate	(D)	Menisci
25.	Тур	e of joint between root of teeth and sock	et	
	(A)	Syndesmoses	(B)	Synovial
	(C)	Wedge and groove joint	(D)	Gomphoses
26.	Stru	icture not passing through foramen ovale)	
	(A)	Accessory meningeal artery		
	(B)	Greater superficial petrosal nerve		
	(C)	Mandibular nerve		
	(D)	Emissary vein		:
27.	The	condyle of mandible is composed of		
	(A)	Compact bone		
	(B)	Cancellous bone		
	(C)	Cancellous bone covered by compact to	one	
	(D)	Woven bone		
28.	The	principal cells of healthy functional peri	odon	ital ligament are the following except.
•	(A)	Fibroblasts	(B)	Osteoblasts
	(C)	Cementoblasts	(D)	Odontoblasts



29. Fusion of palatal shelves requires alteration in epithelium on the mesial edges				oithelium on the mesial edges
	(A)	During elevation		
	(B)	Prior to elevation		
	(C)	After elevation		
	(D)	Does not require any attenuation during	g fusi	on ¹
30.	Res	orption of deciduous incisors and canin	e beg	gins on
	(A)	Buccal surface	(B)	Distal surface
	(C)	mesial surface	(D)	Lingual surface
31.	Mar	ndibular 1st molar has		
	(A)	3 cusps	(B)	2 cusps
	(C)	4 cusps	(D)	5 cusps
32.	Her	mostasis depends on all of the following	exce	ept
	(A)	Erythropoietin	(B)	Platelet aggregation
	(C)	Veso constriction	(D)	Calcium
33.	Pul	se rate is increased in all of the above e	хсер	t
	(A)	Hypovolemia	(B)	During exercise
	(C)	Fever	(D)	Hypothyroidism
34.	Ар	erson is having tidal volume 500 ml, vital c	apac	ity 4700 ml and inspiratory capacity
	350	00 ml, his expiratory reserve volume will	be	
	(A)	3000 ml	(B)	1700 ml
	(C)	1200 ml	(D)	700 ml
35.	An	giotensin converting enzyme inhibitors o	do no	t cause
	(A)	Hyperkalemia	(B)	Hypernatremia
	(C)	Angioedema	(D)	Dysgeusia
		6		Se



36.	6. Metronidazole penetrates well in all except				
	(A)	Breast milk	(B)	Placenta	
	(C)	Seminal fluid	(D)	Saliva	
37.	Adv	erse effects of thiazide include all excep	t		
	(A)	Hypokalemia	(B)	Decrease glucose tolerance	
	(C)	Hyponatremia	(D)	Hypocalcemia	
38.	Cha	tracteristic of tramadol is			
	(A)	strong μ opioid receptor antagonist			
	(B)	not metabolised by liver			
	(C)	more effective in racemic mixture than e	eithe	enantiomers	
	(D)	not reduce the seizure threshold			
39.	Foll	owing are the immunosuppressant exce	pt		
	(A)	Tacrolimus	(B)	Tetanus toxoid	
	(C)	Etanercept	(D)	Mycophenolate Mofetil	
40.	Whi	ch of the following do not suppress gast	ric ac	cid secretion?	
	(A)	Pantoprazole	(B)	Famotidine	
	(C)	Sucralfate	(D)	Pirenzapine	
41.	Cald	cium is absorbed predominantly from			
	(A)	Duodenum	(B)	Jejunum	
	(C)	lleum	(D)	Colon	
42.	Whi	ch of the following analgesic cannot be	giver	n in head injury patient?	
	(A)	Morphine	(B)	Ibuprofen	
	(C)	Rofecoxib	(D)	Acetaminophen	
43.	Whi	ch of the following LA does not cause va	asod	ilation ?	
	(A)	Tetracaine	(B)	Lidocaine	
	(C)	Cocaine	(D)	Bupivacaine	



44.	. Which of the following penicillins has an anti pseudomonas activity?				
	(A)	Cefalexin	(B)	Piperacillin	
	(C)	Dicloxacillin	(D)	Cloxacillin	
45.	All c	of the following drug cause bone marrow	v apla	sia except	
	(A)	Phenylbutazone	(B)	Alpha methyl hydantoin	
,	(C)	Chloramphenicol	(D)	Methicillin	
46.	Whi	ch of the following statement is correct a	about	a highly ionized drug?	
	(A)	it accumulates in cellular lipid			
	(B)	it can cause easily the placental barrie	r		
	(C)	it is excreted mainly by kidney			
	(D)	it is absorbed from intestine			
47.	Wh ord	ich of the following drug at higher doses er?	char	nges its kinetic from 1st order to zero	
	(A)	Phenytoin	(B)	Esmolol	
	(C)	Theophylline	(D)	Probenecid	
48.		of the following antihypertensive drug c	an be	used safely in hypertensive pregnant	
	(A)	nifedipine	(B)	Methyldopa	
	(C)	Enalapril	(D)	Labetalol .	
49.	Wh	ich of the following is a parenteral route	of dr	ug administration ?	
	(A)	Oral	(B)	Topica!	
	(C)	Sublingual	(D)	Intravenous	
50.		nich of the following is a Beta 2 antagon	ist bro	onchodilator used in acute bronchial	
	(A)	Theophylline	(B)	Salbutamol .	
	(C)	Salmeterol	(D)	Sodium cromoglycate	
		8		Set-A	



51.	wni	ch of the following is astringent and can	be u	sed for bleeding guins:
	(A)	Theophylline	(B)	Tannic acid
	(C)	Povidone iodine	(D)	Hydrogen peroxide
52.	Whi	ch of the following is a mummyfying age	nt?	
	(A)	Phentaremine	(B)	Paraform
,	(C)	Silver sulfadiazine	(D)	Povidone iodine
5 3.	Eryt	thosine is used in dentistry as		
	(A)	Mummyfying agent	(B)	Disclosing agent
	(C)	Obtundent	(D)	Mouthwash
54.	Cor	rect statement regarding coagulation is		
	(A)	It is agglutination		
	(B)	Involves antibody and antigen		
	(C)	Clotting of blood		
	(D)	Occurs in mismatched blood transfusio	n	
55.	Acid	d secretion in stomach is stimulated by a	all exc	cept
	(A)	GIP	(B)	Vagal discharge
	(C)	Histamine	(D)	Gastrin
56.	All 1	the statement regarding accommodation	of ey	yes are correct except
	(A)	There is constriction of pupil		
	(B)	There is increase in power of lens		
	(C)	There is convergence of eyes		
	(D)	Mainly increase in anterior curvature of	f lens	
57.	Ker	ratoconjunctivitis sicca, xerostomia and i	heun	natoid arthritis are associated with
	(A)	Sjogren's syndrome	(B)	Ellis Van Creveld syndrome
	(C)	Von Mikulicz syndrome	(D)	Crest syndrome
				0-4

58. Cotton wool appearance is seen in

		10			,
	(C)	Axillary	(D)	Subclavicular	
	(A)	Inguinal	(B)	Cervical	
65.	Mos	st common lymph node involved in Hodg	gkin's	lymphoma is	
	(C)	Ventricular aneurysm	(D)	Coronary artery spasm	
	(A)	Myocardial infarction	(B)	Constrictive pericarditis	
64.		segment elevation seen in all of the follo	wing	condition except	
	(0)	i asciculations	(D)	Localised muscular atrophy	
		Fasciculations	` '	.	
JJ.		Weakness and spasticity	(B)	Rigidity	
63.	Unr	per motor neuron lesion is characterised	hv		
	(C)	Absent deep tendon reflux	(D)	Spontaneous remission	
	(A)	Worsen by exertion	(B)	Proximal muscle weakness	
62.	All a	are clinical features of myasthenia gravis	exc	ept	
	(C)	Osteomyelitis	(D)	Sinus formation	
	` '	Pulpal inflammation	• •	Periapical pathosis	
61.		st common sequelae of dental caries is			
	(0)	viius	(U)	Bacteria	
	- ,	Virus	, ,	Alcohol consumption	
60.		oilloma is caused by Tobacco consumption	(B)	Alcohol consumption	
, 60			. ,		
	(C)	GS alpha gene mutation	(D)	PAX gene mutation	
	(A)	Viral infection	(B)	GNAS1 gene mutation	
59.	Fibr	rous dysplasia is usually caused by			
	(C)	Central giant cell granuloma	(D)	Paget's disease	
	(A)	Cherubism	(B)	Massive osteolysis	



66.	. Which of the following is not a cause of urogenital ulceration?				
	(A) Ulcerative colitis	(B) Reiter's syndrome			
	(C) Coeliac disease	(D) Steven Johnson syndrome			
67.	In the diagnosis of Rheumatic feve	r which of the following may be helpful?			
	(A) Staph aureus grown on throat	culture			
	(B) Polyarthritis				
,	(C) ASO titre of less than 1: 200				
	(D) A generalised maculopapular	rash			
68.	Which of the following drug cause	gingival hyperplasia ?			
	(A) Levtriacetam	(B) Phenytoin			
	(C) Valproate	(D) Amoxicillin			
69.	Which type of patient is most likely	hypersensitive to aspirin?			
	(A) Extrinsic asthmatic	(B) Intrinsic asthmatic			
	(C) Chronic bronchitic	(D) Patient with viral infection			
70.	Highest malignant potential				
	(A) Leukoplakia	(B) Erythroplakia			
	(C) OSMF	(D) Verrucous hyperplasia			
71.	Dens in dente is most commonly se	een in			
	(A) Central incisor	(B) Lateral incisor			
	(C) Canine	(D) Premolars			
72.	Widening of PDL space is not seen	ı in			
	(A) Fibrosarcoma	(B) Osteosarcoma			
	(C) Scleroderma	(D) Hyperparathyroidism			
73.	Which of the following is not a Ham	artoma ?			
	(A) Hemangioma	(B) Lymphangioma			
	(C) Torus palatinus	(D) Fordyce's spots			
r			•		

4. The following statement is true for nephrotic syndrome except				
	(A)	RBC cast are found in urine	(B)	Hypoproteinuria
	(C)	Edema	(D)	Hyperlipidemic
7 5.	All o	f the following can cause optic neuritis	excep	ot
	(A)	Rifampicin	(B)	Digoxin
,	(C)	Chloroquine	(D)	Ethambutol
76.	Cau	se of vasodilation in spider nevi		
	(A)	Estrogen	(B)	Testosterone
	(C)	Hepatotoxin	(D)	FSH
77.	The	valve least effected in rheumatic fever i	S	
	(A)	Pulmonary valve	(B)	Tricuspid valve
	(C)	Aortic valve	(D)	Mitral valve
78.	Kidr	ney has following functions		
	(A)	Excreting waste products	(B)	Secreting hormones
	(C)	Regulation acid-base balance	(D)	All of the above
79.	Whi	ch of the following is not a side effect of	amlo	odipine?
	(A)	Pedal edema	(B)	Tachycardia
	(C)	Dizziness	(D)	Hyperkalemia
80.	95%	of all UTI are caused by		
	(A)	S. Epidermis	(B)	Candida
	(C)	Enterococcus	(D)	E. coli
81.	All a	are true for hemophilic except		
	(A)	Increase Partial Thromboplastin Time	(PTT	")
	(B)	Increased bleeding time		
	(C)	Decreased factor VIII		•
	(D)	Decreased factor IX		



82.	A 56 year old male came to you for dental extrusion. His Hb was 18 gm/dl. Which test will you do to exclude polycythemia vera?						
	(A)	Hematocrit	(B)	Total leucocyte count			
	(C)	Total platelet count	(D)	Red cell mass			
83.		0 year old male developed pain in epiga- tic ulcer disease for the last 3 months. V					
	(A)	An ECG					
	(B)	Upper GI endoscopy					
	(C)	Ultrasound of upper abdomen					
	(D)	Plain X-ray of abdomen					
84.	•	oung male patient while consulting you of temperature, weight loss for last 2 mo					
	(A)	Sputum for AFB	(B)	Mantoux test			
	(C)	X ray of chest	(D)	All of the above			
85.	Alla	are seronegative spondyloarthropathy w	ith ey	ve manifestation except			
	(A)	Ankylosing spondylitis	(B)	Reiter's syndrome			
	(C)	Rheumatoid arthritis	(D)	Psoriatic arthritis			
86.	Wh	ich of the following is not test for diabete	s me	llitus ?			
	(A)	Fasting blood glucose	(B)	Random blood glucose			
	(C)	D-xylose test	(D)	Oral glucose tolerance test			
87.	Hb	Alc level in blood explains					
	(A)	Acute rise of blood sugar					
	(B)	Long term status of blood sugar					
	(C)	Chronic pancreatitis		•			
	(D)	Hepatorenal syndrome					
,							

- 1				! HEIIOB: HEI IND:			
88.	Whi	ich is not a macrophage ?					
	(A)	Monocyte	(B)	Microglia			
	(C)	Kupffer's cells	(D)	Lymphocytes			
89.	Most common cause of cerebro vascular accident is						
	(A)	Infarction of brain					
,	(B)	Tumor of brain					
	(C)	Infection of brain and meninges					
	(D)	Haemorrhage in brain parenchyma					
90.	Normal intrapleural pressure is negative because						
	(A)	The chest wall and lungs recoil in opposite directions					
	(B)	Intrapulmonary pressure is negative					
	(C)	The surfactant prevents pulmonary col	lapse	•			
	(D)	Transpulmonary pressure is negative					
91.	Massage and application of liniments to painful areas in the body relieves pain due to						
	(A)) Stimulation of endogenous analgesic system					
	(B)	Release of endorphins by first order neurons in brain stem					
	(C)	Inhibition of large myelinated afferent fibres					
	(D)	Release of glutamate and substance P	in th	e spinal cord			
92.	Synthesis of 1 mole of urea requires how many mole of ATP						
	(A)	1 mole of ATP	(B)	2 moles of ATP			
	(C)	3 moles of ATP	(D)	4 moles of ATP			
93.	Von Gierke's disease is due to deficiency of						
	(A)	Glycogen synthetase					
	(B)	Glucose-6-phosphatase					
	(C)	Muscle phosphorylase		•			

(D) Liver phosphorylase



¥,

							
94.	False about trans fatty acid						
	(A) Hydrogenation increase TFA						
	(B) Fried food have high content of	TFA					
	(C) Hydrogenation decrease TFA						
	(D) It increases LDL and decrease H	HDL					
95.	Sickling in Hbs disease is primarily caused by						
	(A) Decreased solubility						
	(B) Altered function						
	(C) Altered O ₂ binding capacity						
	(D) Decreased stability	1					
96.							
	(A) Riboflavin	(B)	Pantothenic acid				
	(C) Niacin	(D)	Ascorbic acid				
97.	All of the following are features of right sided heart failure except						
	(A) Pulsatile liver	(B)	Increased JVP				
	(C) Pedal edema	(D)	Crepitation over lung ba	ıse			
98.	All are true of nephrotic syndrome except						
	(A) Oedema	(B)	Hypoproteinemia				
	(C) RBC cast in urine	(D)	Hypeplipidemic				
99.	All of the following are associated with gastric ulcer except						
	(A) Smoking	(B)	H. pylori infection				
	(C) High acid output	(D)	Bile reflex				
100.	Klinefelter syndrome karyotype is						
	(A) 47 XXX	(B)	45 XO				
	(C) 47 XXY	(D)	46 XX				