## DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

## TEST BOOKLET SERIES

## TEST BOOKLET M.O. (GW) 2015



Time	Allowed: 2 Hours] [Maximum Marks: 10
	All questions carry equal marks.
11	INSTRUCTIONS
1.	Immediately after the commencement of the examination, you should check that test bookle does not have any unprinted or torn or missing pages or items, etc. If so, get it replace by a complete test booklet.
2.	Encode clearly the test booklet series A, B, C or D as the case may be in the appropriate place in the answer sheet.
3.	Write your Roll Number only in the box provided alongside.
	Do not write anything else on the Test Booklet.  This Test Booklet contains 100 items (questions). Each item comprises four response
4.	(answers). Choose only one response for each item which you consider the best.
5.	After the candidate has read each item in the Test Booklet and decided which of the give responses is correct or the best, he has to mark the circle containing the letter of the

(A) (B) (D)

example, response "C" is so marked :

6. Do the encoding carefully as given in the illustrations. While encoding your particulars or marking the answers on answer sheet, you should blacken the circle corresponding to the choice in full and no part of the circle should be left unfilled. After the response has been marked in the ANSWER SHEET, no erasing/fluid is allowed.

selected response by blackening it completely with Black or Blue ball pen. In the following

- You have to mark all your responses ONLY on the ANSWER SHEET separately given according to 'INSTRUCTIONS FOR CANDIDATES' already supplied to you. Responses marked on the Test Booklet or in any paper other than the answer sheet shall not be examined.
- All items carry equal marks. Attempt all items. Your total marks will depend only on the number of correct responses marked by you in the Answer Sheet. There will be no negative marking.
- Before you proceed to mark responses in the Answer Sheet fill in the particulars in the front portion of the Answer Sheet as per the instructions sent to you.
- If a candidate gives more than one answer, it will be treated as a wrong answer even if one of the given answers happens to be correct.
- 11. After you have completed the test, hand over the Answer Sheet only, to the Invigilator.

## M.O. (GW)-2015

Time	Allo	owed : 2 Hours]		20	(1 <u>\$</u> 6)	Maximu	ım Marks	: 10
1.	Sca	rring alopecia is s	seen in all,	except :				
	(A)	Lichen planus		(B)	Male p	attern bal	dness	
	(C)	Linear scleroder	ma	<b>(D)</b>	Discoid	lupous		
2.	All	are true for iron	deficiency a	inemia, e	except :			
	(A)	Decreased scrum	iron				2	
	(B)	Decreased ferriti	n					
±1 1	(C)	Decreased total	iron bindin	g capacit	y			
	( <b>D</b> )	May be associate	ed with gas	tric ulcer	•			
3.	Dru	g of choice for tre	atment of	vaginal t	richomor	niasis is :		
	(A)	Fluconazole		(B)	Metroni	dazole		
	(C)	Clotrimazole		(D)	Omepra	zole		
4.	A 60	O-year male, under	going treat	ment for	hyperte	nsion and	ischemic	heart
	dise	ase presents dry	cough for	6 month	s. Most	likely dr	ug to car	ıse it
	is :							
	(A)	Amlodepin	12	(B)	Clopido	grel		
	(C)	Enalapril		(D)	Atorvas	tatin		
MO(G)	N)-2	015—B		2				

	All	of the following are useful in the treatment of asthma, except:
	(A)	Salbutamol (B) Metoprolol
	(C)	Montelukast (D) Budenoside
	Met	hotrexate :
	(A)	is useful in psoriatic arthritis
W.	(B)	is one of first line drug for treatment of rheumatoid arthritis
	(C)	may be associated with macrocytic anemia
	(D)	all of the above
	Mai	rk incorrect statement regarding HbA1C:
	(A)	Useful in diagnosis of diabetes
	(B)	Useful in monitoring of long-term sugar control
77	(C)	Should be done every month in diabetics
	(D)	Not useful in diabetics with hemolytic anemia
3.	All	are used in treatment of osteoporosis, except :
	(A)	bisphosphonates (B) raloxifene
	(C)	deflazacort (D) exercise
	•	

9.	Pri	imary hypothyroidism is associat	ed wi	ith all, except :
20				
	(A)	weight gain	(B)	decreased TSH
	(C)	increased cholesterol	(D)	infertility
10.	Rh	eumatoid factor ;		
	(A)	may be positive with increase	d free	quency in healthy elderly
	(B)	is always positive in rheumate	oid ar	thritis
	(C)	is defined as an antibody again	inst t	he Fc portion of IgM
1	( <b>D</b> )	is always positive in rheumati	e feve	or .
11.	All	are seen in CREST syndrome,	except	
	(A)	Calcinosis	(B)	Raynaud's phenomena
	(C)	Eosinophilia	(D)	Telengiectasia
12.	Met	formin is useful in all, except:		
	(A)	Diabetic ketoacidosis	(B)	Polycystic ovarian syndrome
	(C)	Type 2 diabetes	(D)	Metabolic syndrome
MO((	W)-2	015—B		

15.	Gou	t is associated w	itii aii, excep	н.	2 9 9 9	
	(A)	Probenecid use		(B)	Urolithiasis	
	(C)	CLL		(D)	Hyperurecemia	
14.	Felt	y's syndrome is	characterize	d by all,	except :	
	(A)	Neutrophilia		(B)	Rheumatoid arthritis	
	·(C)	Splenomegaly		(D)	Repeated infections	
15.	The	following is use	ful in Rayna	aud's phe	enomena, except :	
1	(A)	Amlodepin		(B)	Prazosin	75
	(C)	Ergot alkaloid		(D)	Sildenafil	
16.	All	are useful in tre	eatment of c	ongestive	heart failure, except :	
	(A)	Ramipril		(B)	Pioglitazone	
	(C)	Metoprolol		(D)	Spiranolactone	
17.	Acu	te pancreatitis c	an be cause	d by all,	except :	
	(A)	Hypocalcemia	28 X	(B)	Gall bladder calculus	
	(C)	Hypertriglyceric	demia	(D)	Alcohol	

MO(GW)-2015-B

P.T.O.

10.	mak of feta; complete neart block	is nig	n if mother is positive for :
	(A) C-ANCA	(B)	P-ANCA
	(C) Anti Ro/SSA	( <b>D</b> )	Antihistone antibody
19.	Time interval between primary an	d seco	endary case is :
	(A) Serial interval	(B)	Extrinsic incubation period
	(C) Period of communicability	· (D)	Intrinsic incubation period
20.	First rank symptoms in schizophre	enia an	re all, except :
- - *	(A) Voices arguing or discussing	or bot	h
	(B) Depressed mood		
9	(C) Thought broadcasting		
	(D) Delusional perceptions		
21.	A 10-year boy presents with a 6 mont	th histe	ory of an ill defined hypopigmented
	atrophic macule with hypoaesthes	ia ove	r face. What is the most likely
	diagnosis?		
	(A) Ptyriasis alba	(B)	Leprosy
	(C) Morphacea	(D)	Calcium deficiency

MO(GW)-2015—B

COL	minonest herve involved in le	prosy is	•	-
(A)	Ulnar	(B)	Median	5.48
(C)	Radial	(D)	Sciatic	
Whi	ich of the following is an X l	inked di	sease ?	
(A)	Friedreich's ataxia	(B)	Fabry's disease	
(C)	Osteogenesis imperfecta	(D)	Cystic fibrosis	
Kev	orkian sign is seen in :		*	
(A)	Cornea	(B)	Retinal vessels	
(C)	Pupil	(D)	Vitreous humour	
Sup	erfecundation is :			<b>*</b> :
(A)	fertilization of 2 ova discharge	d <b>fro</b> m th	e ovary in same cyclo b	y 2 separate
	acts of coitus committed at	short int	ervals	
(B)	Fertilization of a second ovum	in a wo	man who is already pro	egnant with
	embryos of different age			
(C)	Both are true			3
(D)	None of the above	10		
W)-2	015—В	7		P.T.O.
	(A) (C) Whi (A) (C) Kev (A) (C) Sup (A) (B) (C) (D)	<ul> <li>(A) Ulnar</li> <li>(C) Radial</li> <li>Which of the following is an X II</li> <li>(A) Friedreich's ataxia</li> <li>(C) Osteogenesis imperfecta</li> <li>Kevorkian sign is seen in :</li> <li>(A) Cornea</li> <li>(C) Pupil</li> <li>Superfectedation is :</li> <li>(A) fertilization of 2 ova discharged acts of coitus committed at acts of coitus committed at acts of different age</li> <li>(C) Both are true</li> </ul>	(A) Ulnar (B)  (C) Radial (D)  Which of the following is an X linked di  (A) Friedreich's ataxia (B)  (C) Osteogenesis imperfecta (D)  Kevorkian sign is seen in :  (A) Cornea (B)  (C) Pupil (D)  Superfecundation is :  (A) fertilization of 2 ova discharged from the acts of coitus committed at short interest (B)  (B) Fertilization of a second ovum in a womenbryos of different age  (C) Both are true  (D) None of the above	(C) Radial (D) Sciatic  Which of the following is an X linked disease?  (A) Friedreich's ataxia (B) Fabry's disease  (C) Osteogenesis imperfecta (D) Cystic fibrosis  Kevorkian sign is seen in :  (A) Cornea (B) Retinal vessels  (C) Pupil (D) Vitreous humour  Superfecundation is:  (A) fertilization of 2 ova discharged from the ovary in same cycle by acts of coitus committed at short intervals  (B) Fertilization of a second ovum in a woman who is already presembryos of different age  (C) Both are true  (D) None of the above

20.		the following can cause discolouration of teeth in the let
	(A)	Lithium (B) Tetracycline
91	(C)	Warfarin (D) Isotretinoin
27.	Lar	gest bursa in the human body is :
	(A)	Subacromial bursa (B) Prepatellar bursa
	(C)	Infrapatellar bursa (D) Trochanteric bursa
28.	Gas	used to measure diffusion capacity of lung is:
3	(A)	CO (B) NO
Šį	(C)	CO <sub>2</sub> (D) Nitrogen
29.	All	are seen in Myasthenia gravis, except :
	(A)	Acetyl choline receptor antibodies is more than 80% patients
	(B)	Repititive nerve stimulation test shows incremental response
	(C)	Thymectomy is advisable in majority of patients
	(D)	Ptosis/diplopia is most common presentation

30.	All	are true regarding acute bacterial	m	eningitis, excep	et:		
13	(A)	CSF shows Neutrophilic pleocytes	sis				4
	(B)	May be seen following skull-fract	ur	e	10.75	294	
	(C)	Corticosteroids are contraindicated	d	¥.	•		
						-	
	( <b>D</b> )	Empirical treatment with Cetriax	one	e/Vancomycin s	hould	be sta	rted at
	300 20	*	9588	**************************************			
		earliest					
						45	
31.	All	are seen in frontal lobe pathology,	es	ccept :			
ŧ						100	
	(A)	Cortical blindness (1	B)	Gait apraxia	970		
		1101 1 10					2.1
	(C)	Emotional incontinence (I	D)	Contralateral	hemip	paresis	
					1	4	
32.	Bell	's palsy :					
	2 = _			-38			
	(A)	is UMN type seventh cranial ner	ve	pasly			
	(B)	is somtimes associated with herpe	48	virus infection			
				7			
	(C)	responds to steroids poorly					
		responds to steroids poorly	10	× ,,			
	(D)	in appealated with insiletonal loss					
	(1)	is associated with ipsilateral loss	01	sensation			*0
							19
MO(C	W)-2	015—B					P.T.O.

33.	All	l are seen Wernickes aphasia, except :	0.40
	(A)	comprehension impaired	
	(B)	) Fluency impaired	
	(C)	) repetition impaired	
	(D)	naming impaired	
34.	Arg	gyll Robertsons pupil is characterised by all, except:	
1	(A)	bilateral constricted pupils	
	(B)	Accommodation reflex is absent	
Vi.	(C)	Pupillary reflex (light reflex)—both direct and indirect—are a	bsent
	(D)	May be seen in neurosyphilis	
35.	All	statements are true for Chylamydia psittacosis, except :	se ,
	(A)	Acquired from bird's droppings	
	(B)	Causes urethritis	9.
	(C)	Causes pneumonia	
	(D)	Treatment is tetracycline	
MO(0	3W)-2	2015—B 10	

36.	Wh	ich of the following is the mo	st cor	nmon complication of mumps in
	chil	dren ?		
	(A)	Orchitis	(B)	Conjunctivitis
- 1	(C)	Meningoencephalitis	(D)	Myocarditis
37.	Ser	um angiotensin converting enzyn	ne ma	y be raised in all of the following,
*	exce	pt:		
1,1	(A)	Sarcoidosis	(B)	Silicosis
	(C)	Asbestosis	( <b>D</b> )	Bronchogenic carcinoma
38.	The	amino acid residue having an	imino	side chain is :
	(A)	Lysine	(B)	Histidine
	(C)	Tyrosine	( <b>D</b> )	Proline
39.	Whi	ch of the following is <i>not</i> an au	itoson	nal recessive disorder ?
	(A)	Cystic fibrosis		
9	(B)	Phenylketonuria	84	4
	(C)	Alpha-1 antitrypsin deficiency		
	( <b>D</b> )	Familial hypercholesterolemia	8	

40.	W	hich of the fo	llowing is	not an	alkyla	iting agen	t ?		ų.
	, (A	) Cyclophosp	hamide		(B)	5- <b>F</b> U	£ .	**	16
	(C	) Busulfan			(D)	Chloran	nbucil		
41.	In	all of the foll	owing dis	eases chi	ronic	carriers a	re found, e	xcept :	
	(A)	Gonorrhoea		*	(B)	Typhoid		2	- 100
	(C)	Hepatitis B	·2/1		(D)	Rubella			
42.	Ana	aesthetic agen	t contrair	idicated i	in hyj	pertensives	is is :		
Š.	(A)	Ketamine	2		(B)	Thiopent	one sodiur	n.	
	(C)	Diazepam .			(D)	Propofol			
43.	Con	itraindication	is to ad	d vasoec	nstri	ctors like	e adrenal	ine in	local
	ana	esthesia?							19
	(A)	Spinal anaes	thesia		(B)	Epidural	anaesthesi	а	
	(C)	Digital nerve	block		( <b>D</b> )	Regional	anaesthesi	a	
MO(G	₹W)-20	015—B	, s	12					

Low	er Segment Caesarean	Section (L	5US)	can be carried out under an the	8
follo	wing techniques of ana	esthesia, e	хсер	t:	
-		-	8		
(A)	General anacsthesia		(B)	Spinal anaesthesia	
700	Candal annualkasia		/IW	All of those	
(0)	Caudal anaestnesia		(13)	An or these	
Seve	enth cranial nerve supp	lies to wh	iich	muscle ?	
(A)	Temporalis		(B)	Orbicularis oris	
	-	10 Kg			
(C)	Sternoleidomastoid		(D)	Masseter	
A:11	of the following are	maior cor	nnli	rations of mossive transfusion	
An	or the lonowing are	major con	при	cations of massive transferor	
exce	nt:		(4		
(A)	Hypokalemia		(B)	Hypothermia	
36.52	турованенна			11) pouloumin	
(C)	Hypomagnesemia		(D)	Hypocalcemia	
*		4.5			
Pisi	form is considered as a	sesamoid	bon	e in the tendon of:	
(A)	Flexor digitorum supe	rficialis	(B)	Flexor carpi ulnaris	
2000	x1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		(13)	Plane distance authorities	
(C)	Abductor digiti minim	1	un	racker digitorum protonous	
GW)-2	2015—B	13	**	P.T.0	),
	follow (A) (C) Seve (A) (C) All excep (A) (C) Pisit (A)	following techniques of anactical (A) General anacsthesia (C) Caudal anaesthesia Seventh cranial nerve support (A) Temporalis (C) Sternoleidomastoid All of the following are except:  (A) Hypokalemia  (C) Hypomagnesemia  Pisiform is considered as a (A) Flexor digitorum super	following techniques of anaesthesia, (A) General anaesthesia  (C) Caudal anaesthesia  Seventh cranial nerve supplies to whomation (A) Temporalis  (C) Sternoleidomastoid  All of the following are major confexcept:  (A) Hypokalemia  (C) Hypomagnesemia  Pisiform is considered as a sesamoid (A) Flexor digitorum superficialis  (C) Abductor digiti minimi	following techniques of anaesthesia, except  (A) General anaesthesia (B)  (C) Caudal anaesthesia (D)  Seventh cranial nerve supplies to which  (A) Temporalis (B)  (C) Sternoleidomastoid (D)  All of the following are major complience except:  (A) Hypokalemia (B)  (C) Hypomagnesemia (D)  Pisiform is considered as a sesamoid bord (A) Flexor digitorum superficialis (B)  (C) Abductor digiti minimi (D)	(C) Caudal anaesthesia (D) All of these  Seventh cranial nerve supplies to which muscle?  (A) Temporalis (B) Orbicularis oris  (C) Sternoleidomastoid (D) Masseter  All of the following are major complications of massive transfusion except:  (A) Hypokalemia (B) Hypothermia  (C) Hypomagnesemia (D) Hypocalcemia  Pisiform is considered as a sesamoid bone in the tendon of:  (A) Flexor digitorum superficialis (B) Flexor carpi ulnaris  (C) Abductor digiti minimi (D) Flexor digitorum profundus

48.	Den	ominator in Maternal Mortality	Rate	?
	(A)	Total number of live births	(B)	Total deaths in adult females
	(C)	Total number of births	(D)	Midyear population
49.	Ade	nosine deaminase (enzyme) defi	ciency	is associated with:
	(A)	Severe combined immunodefic	iency	(SCID)
	(B)	X-linked a gammaglobulinemia	a	
	(C)	Transient hypogammaglobulin	emia (	of infancy
	( <b>D</b> )	Chronic granulomatous diseas	e .	
50.	Nor	mal tympanic membrane is:		1 to
	(A)	Pink in colour	(B)	Red in colour
	(C)	Pearly white in colour	(D)	Light yellow in colour
51.	Mac	even's triangle is surface mark	ing fo	r:
	(A)	Mastoid entrum	(B)	Lateral semicircular canal
	(C)	Pancreas	(D)	Liver
MO((	3W)-2	2015—B 14		

52.	Org	an of corti is situated in :		
	(A)	Basilar membrane	(B)	Utricle
30	(C)	Saccule	(D)	None of these
53.	Left	sided vocal cord palsy is comm	only	due to :
	(A)	Left hilar bronchial carcinoma	(B)	Mitral stenosis
6	(C)	Thyroid malignancy	(D)	Thyroid surgery
54.	Wha	at is the treatment of choice for	seve	re pneumocystis carinii disease i
	a pa	atient unable to tolerate TMP/SI	MX ?	**
	(A)	Intravenous pentamidine	(B)	Intravenous dapsone
	(C)	Intravenous clindamycin	(D)	Intravenous primaquine
55.	Нур	eraldosteronism associated with	all, e	xcept:
	(A)	Hypernatremia	(B)	Hypokalemia
	(C)	Hypertension	(D)	Metabolic acidosis

56.	Spi	nocerebellar tract function	is respons	ible for :
	(A)	Fine touch		
19	(B)	Vision		
	(C)	Initiation and planning	of moveme	nts
	( <b>D</b> )	Smoothens and co-ordina	ites movem	ent
57.	Dai	ly average secretion of sa	liva ls :	
	(A)	200-300 ml	(B)	500-600 ml
	(C)	1000-1500 ml	(D)	more than 2000 ml
58.	Sial	olithiasis is common in :	27.1	90
**	(A)	Parotid glands	(B)	Submandibular gland
	(C)	Sublingual gland	(D)	Accessory salivary gland
59.	RDA	A for vitamin $\mathrm{B}_{12}$ is :		
	(A)	2 microgram/day	(B)	10 microgram/day
	(C)	100 microgram/day	(D)	1000 microgram/day
MO(0	GW)-2	015—B	16	

60.	Folic acid deficiency is common in	all, except:
12		
	(A) Vegetarian diet	(B) Treatment with phenytoin
	***	
	(C) Inflammatory bowel disease	(D) Chronic alcoholics
61.	At which place in Kinnaur Distric	et of H.P. is Chandika Devi temple
	(A) Kalpa	(B) Sungra
	(C) Nichar	(D) Sangla
62.	In which month is Nag Panchmi of	celebrated ?
9	(A) Jyeshtha	(B) Ashadh
	(C) Shravan	(D) Bhadon
63.	Who is the author of "Caste and I	Kinship in Kangra" ?
	(A) J.P. Parry	(B) M.S. Randhawa
e.	(C) G.D. Khosla	(D) P. Chetwode

64.	Which heir to the throne of Chamb	oa princely state was smuggled by his	s nurse
	to escape being killed by Jagat	Singh ?	
	(A) Janardan	(B) Prithvi Singh	
	**		72
	(C) Chattar Singh	(D) Udai Singh	15
65.	With which region of H.P. is de-	vil dance associated ?	
	(A) Kullu	(B) Chamba	
	(C) Lahaul-Spiti	(D) Dodra Kawar	
		2. 16	
66.	Which two districts of H.P. have	e border with Tibet ?	
		E .	
	(A) Chamba and Lahaul-Spiti		
		2*	9
	(B) Lahaul-Spiti and Kullu		
			53
	(C) Kullu and Kinnaur		
		The same of the sa	
	(D) Kinnaur and Lahaul-Spiti		
		2.00	
	48		

7.76					1. Table - 1.2 2.	THE REPLY	-		1040 9
67.	Whi	ch prin	cely states	constituted A	Arki Teh	sil of Ma	hasu Di	istrict in	1948 (
		Marie 1							
			HJ 60455 75247		44	-39	45		22
	(A)	Bhagh	al, Kuniha	ar and Bagha	at				-
				-					
								65	940
	(B)	Kunik	er Kutha	r and Beja					P-1
	(73)	IXUIII	idi, zadono						
		** 3		I and Kutha					
0.00	(C)	Kunif	iar, Mange	d and Kutha					
			25000						
	(D)	Kunil	nar, Manga	al and Bhagh	nai				
				Ca. 10 Vo. 1051	33.00	900. 2	Anne San Anne	****	
68.	Acc	ording	to 2014-15	Economic Su	cruey wh	ich depar	tment o	of H.P. C	rovt. nas
			CONTRACTOR		ar resse		4.		
				TO TAKE THE WAS A CONTRACTOR OF THE CONTRACTOR O	ver at a more reflective		9		
	sta	rted Az	idhaar bas	ed biometric	attendar	nce system	m ;		
			41						1.4
				3					
	(A)	IPH			(B)	PWD			
	10.00	n adams							
	(0)	Torres	and Cou	ntry Plannin	g (D)	H.P. Po	ice		
- 50	(C)	Town	I and Cou	iiuij - minor	R MINS				
20						90 <sup>22</sup>	41	8.4	
				neadquarters	of H P	ara cover	ed unde	r Natior	al Urban
69.	He	w man	y district i	ieadquarters	01 11.1	are cover			
						025			3
. 0	7.5	بممطناهم	Mission	9					
	Li	AGIIIIOOG	1 Mission	5			2		
1000					<del>)</del> ]]				
-		007 53			/DY	9			==+
	(A	.) 8	36.7		(B)			53104	
					34433	44	#X552035		
	(0	) 10			(D)	all of t	nese		
		The same							9
		- 1							
					400				PTO

70.	The	first bate	ch of MBBS s	tudents st	tarted	at the R.P. Me	dical College	Tanda
	(Ka	ngra, H.P	) in 1999. Wh	en was the	e colleg	ge recognised by	the Medical	Council
	of I	india ?						
	(A)	2000 A	ο,		(B)	2003 AD		
65	(C)	2005 Al	D		(D)	2007 AD		
71.	Acc	ording to	Whistle-blow	er Protect	ion A	ct what is the	quantum of	fine for
120			or frivolous			404.51	31 200%	
	(A)	20 thou	sand rupees		(B)	25 thousand	rupees	
	(C)	30 thou	sand rupees	2.	(D)	50 thousand	rupees	
72.	Hov	v many s	eats did Na	tional Co	nferer	nce win in the	2014 Lok	Sabha
1.	elec	tions ?						
1	(A)	Five	-		(B)	Three		
	(C)	One			(D)	None	+	
73.	Whi	ch of the	following is	true abou	ut the	identity of T.I	R. Zeliang ?	
	(A)	Boxer o	f Manipur					
	(B)	Leader	of opposition	in Mizora	am.	- 60	(4)	
	(C)	Speaker	of Assembly	in Aruna	achal :	Pradesh		
	(D)	Chief M	inister of Na	igaland		17		(1)
MOG	ina o	:015—B		20		整		
4-4-01	A 17 1 4	13		2011				

74.	Who	is the leader of Aam Aadmi	Party	in the Lok Sabila :
	(A)	Dharmvir Gandhi	(B)	Sucha Singh Chhottepur
	(C)	Dr. Daljit Singh	(D)	Bhagwant Mann
75.	Who	got the Jnanpith Award in	April, 2	2015 ?
	(A)	Bishan Das Bhave	(B)	Mohan Singh
	(C)	Doodhnath Singh	(D)	Bhalchandra Nemade
76.	Who	is the Prime Minister of Ne	pal?	
E	(A)	Sushil Koirala	(B)	Juddha Jangbahadur
	(C)	G.P. Koirala	(D)	None of these
77.	Wit	h which political party of Bri	tain is	Nigel Farage associated ?
	(A)	Labour Party		
	(B)	Conservative Party	172	
	(C)	Liberal Democratic Party		¥
	(D)	U.K. Independence Party		

78.	Which resear	ch vessel was cau	ight in a sudd	en freeze in A	Antarctica in	December
	2013 ?					
	(A) Centaur	•	(B)	Akademik	Shokalskiy	
	(C) Kiev	*	(D)	Austin		- 4
79.	Which three	books of Gunte	er Grass are	called Danzi	ig Triology	?
	(A) The Tir	Drum, Flound	er, Cat and	Mouse	53	
	(B) Cat and	l Mouse, Show	Your Tongue	, Dog Years		
	(C) Dog Ye	ars, Flounder, C	Cat and Mou	se	20	
	(D) The Tir	Drum, Cat an	d Mouse, Do	g Years		
80.	Which coun	tries have set	apart a da	y for comn	nunity tree	planting
55	annually?		9			
	(A) U.S.A.	and Canada		9		d u
	(B) Canada	and Australia			(*)	
	(C) Austral	ia and New Zea	aland			
	(D) All of t	he above	100 70	67	636	
MOG	GW)-2015—B	85	22		7/2	

70					
81.	The	principle supports of the uterus	s are	all, except:	
	(A)	Round ligament	(B)	Pyriformis muscle	1 av 3
	(C)	Transverse cervical ligaments	(D)	Uterosacral ligament	8
82.	Mar	k the incorrect statement:	*		19.1
*	(A)	Testosterone is produced by the	thec	al cells and converted	to cestradiol
		by aromatase			121
e - E	(B)	Oestradiol is secreted through	out th	e menstrual cycle init	ially by the
		granulosa cells in the developin	g folli	cle and then by the co	rpus luteum
(Se)	(C)	Progesterone is produced by	y the	corpus luteum, ch	anging the
3		endometrium from proliferative	e to s	ecretory	
	( <b>D</b> )	LH and FSH are produced in	the r	oosterior pituitary gla	nd
83.	Mos	st common site of ectopic pregna	ncy i	s:	
	(A)	Peritoneum	(B)	Ampula	100 %
	(C)	Isthmus	(D)	Fimbrial end	æ
84.	Wor	men complaining of milky whitisl	h disc	harge with fishy odou	r. No history
	of i	tching. Most likely diagnosis is	:		*
	(A)	Bacterial vaginosis	(B)	Trichomoniasis	
	(C)	Candidiasis	(D)	Malignancy	
		20 19			- 5
NEO	CAMA	9015 B 93	g.		PTO

85.	A 18 year-old female has come to you	with complaints of oligomenorrhea,
	hirsutism and weight gain, ultrasound rev	eals bulky ovaries with sub-capsular
	cysts. Most likely diagnosis is:	
	(A) Ovarian cancer (B)	Cushing's syndrome
	(C) Polycystic ovarian disease (D)	Diabetes mellitus
86.	The most effective treatment of pruritis vu	lvae associated with atrophic vulvitis
	is:	
	(A) Antihistamines (B)	Hydrocortisone
	(C) Alcohol injections (D)	Topical estrogen therapy
87.	A 40 years old multiparous woman com	plains of involuntary loss of urine
	associated with coughing, laughing, lifting	ng or standing. The history is most
	suggestive of:	
Ţ.	(A) Fistula (B)	Stress incontinence
	(C) Urge incontinence (D)	Urethral diverticulum
88.	A Gravid 3 Para 2 female has presented	with complaints of brownish vaginal
	discharge, passage of vesicles and excessi	ve vomiting. Ultrasound scan shows
	snowstorm appearance in uterus with r	no fetus. The most likely diagnosis
	is:	
	(A) Septic induced abortion	
	(B) Twin pregnancy	
	(C) Gestational trophoblastic disease	
	(D) Ectopic pregnancy	
MO(	O(GW)-2015—B 24	

89.	A 28-year old patient complains of amenorrhea after having dilatation and							
	cure	ttage. The most likely diagno	sis is :	H				
	(A)	Kallman's Syndrome	(B)	Turner's Syndrome				
	(C)	Asherman's Syndrome	(D)	Pelvic inflammatory disease				
90.	A newly married girl comes to gynae OPD with history of dysuria, burning							
	mict	turition and sore perineum. V	Vhat is	your likely diagnosis ?				
	(A)	Trichomonas vaginalis	(B)	Candida infection				
ŧ.	(C)	Honey moon cystitis	(D)	Genital herpes				
91.	Whi	ich of the following is used a	s an en	pergency contraceptive ?				
-	(A)	Combined oral contraceptive						
	(B)	Progesterone only						
	(C)	Depot progesterone injection	1					
	(D)	Levonorgestrel						
92.	Amitryptyline is useful in all, except:							
	(A)	Urinary retention	(B)	Migraine				
	(C)	Depression	(D)	Trigeminal neuralgia				

93.	A 22-year male presents with a chief complaint of weakness. He has history								
	of chronic diarrhea. His muscle power is 4/5 of all four limbs. Laboratory analysis								
	of serum shows : Sodium 126 mEq/L, potassium 2.6 mEq/L, Bicarbonate 29								
	mEq/L, Calcium 9.0 mg/dL. Most likely cause of the patient's weakness is								
	an abnormality in level of :								
	(A) Bicarbonate (B) Calcium								
10	(C) Potassium (D) Sodium	85							
94.	There is increased risk of hypothermia in all, except :	20							
	(A) Sepsis (B) Shock	17							
	(C) Alcohol intoxication (D) Atropine toxicity								
95.	Malignant otitis externa may be associated with all, except :	2							
	(A) seen in immunocopromised								
	(B) invasive bacterial infection								
	(C) basal cell carcinoma								
	(D) may be associated with facial nerve palsy								
96.	All drugs can have edema as side offect, except:								
	(A) steroids (B) amlodepin								
	(C) indepamide (D) NSAID's								
MO(0	GW)-2015—B 26								

94.	Cholestatic jaundice may be seen as side effect with :								
	(A)	Chloroquin		(B)	Dapsone				
	(C)	Primaquin		( <b>D</b> )	Erythromycin e	stolate			
98.	Mark the incorrect statement:								
	(A)	Penile erection	is mediated by	symp	athetic pathway	's			
702	(B)	Nitric oxide play	ys important rol	le in	erection				
	(C)	Sildenafil is use	ful in erectile d	ysfui	nction				
· ·	(D)	Ejaculation is ri	nediated by sym	path	etic pathway	W 01			
99.	All	are essential ami	no acids, except	1					
	(A)	Histidine		(B)	Leucine				
	(C)	Valine		( <b>D</b> )	Proline				
100.	All	are true about T	inea versicolor, e	ехсер	t :				
	(A)	It is caused by	Tinea solium						
9.	(B)	Commonly affect	t trunk						
	(C)	Lesions may be hypopigmented or hyperpigmented macules							
	( <b>D</b> )	Griseofulvin is u	seful in treatme	ent		. a			
MO(0	3W)-2	015—B	27						