## DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C.: VS - 2/13

Serial No.

2285

**Test Booklet Series** 



## **TEST BOOKLET**

PAPER - II

(ANIMAL SCIENCE)

Time Allowed: 2 1 Hours

Maximum Marks: 400

## : INSTRUCTIONS TO CANDIDATES :

- IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES A, B, C OR D, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
- You have to enter your Roll No. on the Test Booklet in the Box provided along side. DO NOT write anything else on the Test Booklet.
- 4. This Test Booklet contains 200 items (questions). Each item (question) comprises four responses (answers). You will select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided, by using BALL POINT PEN (BLUE OR BLACK). See instructions in the Answer Sheet.
- 6. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet. There will be negative markings for wrong answers. 25 percent of marks allotted to a particular item (question) will be deducted as negative marking for every wrong response (answer).
- 7. Before you proceed to mark (darken) in the Answer Sheet the responses to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your Admission Certificate.
- 8. After you have completed filling in all your responses on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the Answer Sheet and the Test Booklet issued to you. Yor are allowed to take with you the candidate's copy/second page of the Answer Sheet, after completion of the examination, for your reference.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

1. Platue in cardiac muscle is due to Decreased formation (b) presence of: prothrombin Fast sodium channels Decreased formation of platelets (a) (c) Fast potassium channels (b) Due to precipitation of calcium (d) Slow Nat - Cat2 channels (c) ions Slow chloride channels When RBC is suspended in isoosmotic P wave in ECG is caused by: fluid, it results in: Spread of depolarization through (a) Swelling atria Shrinkage (b) (b) Spread of depolarization through (c) Lysis ventricles (d) No change Spread of repolarization through Which among the given is an excitatory 7. ventricles neurotransmitter? (d) Spread of repolarization through (a) Dopamine Glycine (b) The atria contract during the following Seratonin period in cardiac cycle: (c) Glutamate Systole (d) (b) First one-third of diastole Rhodopsin is made up of Second one-third of diastole Il cis retinal Last one-third of diastole (b) Il cis retinol Deficiency of Vitamin B, leads to: All trans retinal Microcytic anemia (d) All trans retinol Megaloblastic anemia The VFA which is capable of being used Hypochromic anemia for gluconeogenesis: (d) Aplastic anemia Acetate (a) Lack of Vitamin K results in poor (b) Propionate coagulation due to: (c) Butyrate Decreased synthesis

fibrinogen

Valarate

(d)

10.	HC	l is produced by :	15	. Wh	nich of the following compound
	(a)	Peptic cells			nulates N-M Junction by inactivating
	(b)	Parietal cells (5)			plinesterase?
	(c)	Zymogen cells		(a)	Carbachol
	(d)	Chief cells AGA		(b)	Neostigmine Neostigmine
11.	Run	nination is stimulated by:		(c)	Curariforms
	(a)	Anesthetics		(d)	Nicotine
	(b)	Hay diet	40	100	
	(c)	Fever	16.		en a muscle is stimulated with
	(d)	Concentrate diet			idly succeeding stimuli (20/sec) the ult response is:
12.	Atpr	oximal convoluted tubule, Hydrogen			Tetanus
	ion is	s secreted into lumen by:		(b)	
	(a)	Active transport		(c)	Recruitment
	(b)	Counter co-transport		(d)	Fatigue
	(c)	Simple diffusion	17.	Whi	ch of the following shifts the Oxygen-
	(d)	Co-transport			dissociation curve to right?
13.		erm used for describing incordina- of speech :		(a)	When blood becomes slightly acidic
	(a)	Dysarthria		(b)	Decreased CO <sub>2</sub> concentration
	(b)	Dysmetria		(c)	Decrease in blood temperature
	(c)	Dysdiadokinesia		(d)	None of the above
	(d)	Ataxia		(4)	vd beoreuint at basip
		part of hypothalamus that regulates temperature :	18.		orative heat loss by sweating is
	(a)	Supra optic unclei		(a)	Dog snowlesses to the
	(b)	Preoptic area		(b)	Sheep nepotial (b)
81.1	(c)	Mamillary body		(c)	Pig II mai assormation
	(d)	Paraventricular nuclei		(d)	Man
JG-2	2A/20	(3	)		(Turn over)
					( Tull Over)

19.	The	e rate and pattern of breathing is		(b)	Bitch we become a set on
		trolled by : u.f. M-M assistammia		(c)	Sheep (8)
	(a)	Dorsal respiratory group		(d)	Mare
	(b)	Pneumotaxic centre	24.	Whi	ich of the following inhibits release
	(c)	Ventral respiratory group			DH? Chiel cells ? HO.
	(d)	Both (a) and (c)		(a)	Hyperosmotic ECF
20.	The	mean thickness of respiratory		(b)	Low blood volume
delini		mbrane in bird is :		(c)	Anxiety
	(a)	More than that in mammals		(d)	Alcohol
	(b)	Equal to that in mammals	25.	Trop	pical animals have :
	(c)	Less than that in mammals		(a)	Small loops of Henle
	(d)	Thinner at corner points and		(b)	Long loops of Henle
	(4)	thicker at another		(c)	Less sensitivity to ADH
24	B #:4 -			(d)	More water turnover rate
21. nepy	nece	essary for the motility of sperm are	26.		ich amongst the following are cturally not similar?
	in th	is part of spermatozoa :		(a)	Growth Hormone and Prolactin
	(a)	Head		. ,	Oxytocin and ADH
	(b)	Mid piece		(c)	Cortisol and Cortisone
	(c)	Principal piece		(d)	Thyroid and Parathyroid Hormone
	(d)	End piece	-		(b) Dysmetria
22.		elopment of alveoli in the mammary	27.		is responsible for :
		d is influenced by :		(a)	Diabetes mellitus
		Prolactin and symmothy and 181		(b)	Diabetes insipidus
	(b)	Oxytocin		(c)	Pituitary diabetes
	(c)	Progesterone god (s)		(d)	Steroid diabetes
	(d)	Estrogen	28.	Seco	ond messenger formed during the
23.	Ovul	ation fossa is in the ovary of:		prote	ein hormone action on target is:

(a) Cow

- Phospholipase Representing the voice of the people is (b) one of the functions of: CAMP (c) Gram Panchayat (d) Phosphodiesterase Panchayat Samiti 29. Testosterone is produced by: (c) Zila Parishad (a) Leydig cells
  - State Government (d) Sertoli cells (b) Germinal cells (c) Extreme form of closed class system is:

(a)

- Community The word Extension derived from Latin (b) Society roots 'tensio' means:
- (a) Informal education
  - (b) Stretching

(d)

(c) Out of school system

Granulosa cells

- (d) None of the above
- 31. According to use, Method Demonstration can be classified under:
- (a) Group contact method
  - Individual contact method
  - (c) Mass contact method
- (d) Both (a) and (b)
- 32. Association of unlimited number of persons formed on the basis of equality for the promotion of members interest is called as:
  - Co-operative Societies (a)
  - Association (b)
  - Federation (c)
  - Community (d)

JG - 2A/20

- Religion (c) (d) Caste
- The end product of Extension Teaching 35.
  - (a) Action
  - Adoption (b)
  - Satisfaction (c)
  - Knowledge
- Widow marriage is a classical example of:
  - Social transformation (a)
  - Social change (b)
  - (c) Cultural change
  - Both (b) and (c) (d)
- 37. In Anand pattern of Co-operative structure, state level apex body is called as:
  - State Co-operative Federation (a)

Play group can be classified under: (b) State Co-operative Society (a) Formal group State Co-operative Union (c) (b) Involuntary group None of the above (d) Voluntary group (C) 38. Extension Teaching Methods are All of the above (d) classified by: Extension programme deals with: Wilson and Gallup (a) Situation (a) (b) Adivi Reddy Objectives (b) Chitambar (c) (c) Solution Edgar Gale (d) (d) All of the above Two dimensional projected visual aid is: The Committee on Panchayati Raj Models (a) headed by: Specimen (b) S. L. Mehta (b) B. R. Mehta Film strip (c) V. Kurien (C) All of the above (d) M. S. Swaminathan 40. Urban community has: Collective ownership and operatorship (a) Greater density are seen in: Less literacy (b) (a) Co-operative joint farming Less social contact (c) (b) Co-operative collective farming All of the above (d) Peasant farming (c) 41. Intensive teaching activity undertaken at (d) Co-operative better farming an opportune time for a brief period: 46. Consumer society is: Campaign (a) Credit Co-operative Society (a) (b) Tour (b) Non Credit Co-operative Society Field Trip (c) Marketing Society (c) Exhibition (d) None of the above (d) Contd. JG - 2A/20 (6)

	(a)	Specialised farming		(c)	Price of a commodity
	(b)	Diversified farming		(d)	All of the above
	(c)	Mixed farming	52.	Add	itional milk obtained by feeding an
	(d)	Dry farming	02.		itional unit of feed to a cow is known
48.	A rev	ard for the entrepreneurial function	n	as:	
	of de	ecision making and uncertain	y	(a)	Average product
	bear	ng is:			AND THE RESERVE OF THE PROPERTY OF THE PROPERT
	(a)	Interest		(b)	Total product
	(b)	Profit cobe as asymptom		(c)	Marginal product
	(c)	Wages		(d)	None of the above
	(d)	Rent	53.	In th	e production function, Zone II is:
49.	In dis	tribution of wealth, rent can be pa	d	(a)	Irrational
		e services of :		(b)	Semi rational
	(a)	Labour (b)		(c)	Rational
	(b)	Organisation		(d)	All of the above
	(c)	Land	54.	Res	t system of bookkeeping is:
	(d)	Capital	О-т.	(a)	Single Entry System
50.	The	temporary equilibrium betwee	n	(b)	Cost Accountancy
		and and supply determines :		ını çir	Double Entry System
	(a)	Secular price			iot agone paging can
	(b)	Normal price		(d)	Classified Cost Accountancy
	(c)	Market price	55.	Perf	ectly inelastic demand curve will be:
	(d)	None of the above		(a)	Horizontal to x-axis
51.	Cros	s demand refers to change i	n	(b)	Vertical to x-axis
01.		and due to change in :		(c)	Downward sloping
	(a)	Income of the consumer		(d)	Upward raising
JG-	-2A/2	0	(7)		(Turn over)

47. Greater risk is involved in: (b) Prices of related goods

- 56. The repayment of loan for the purchase of a Tractor on a firm is a:
  - (a) Long term liability
  - (b) Medium term liability
  - (c) Current liability
  - (d) None of the above
- 57. When two enterprises are competing with each other for the farmers limited resources, it is called as:
  - (a) Joint enterprise
  - (b) Complementary enterprise
  - (c) Supplementary enterprise
  - (d) Competitive enterprise
- 58. When two products are produced in the same production process, such relationship is called as:
  - (a) Competitive
  - (b) Complementary
  - (c) Supplementary
  - (d) Joint
- 59. Inserted DNA fragments with multiple recognition sequences for restriction endonucleases used for inserting additional DNA by cleavage and ligation are called:
  - (a) Plasmid
  - (b) rec DNA
  - (c) Polylinkers
  - (d) Chimera

- 60. Which among the following triggers directly the movement of GLUT-4 glucose transporters to the plasma membrane?
  - (a) Epinephrine
  - (b) Cortisol
  - (c) Glucagon
  - (d) Insulin
- 61. Peptide hormones that carry information about the adequacy of the energy reserves in adipose tissue to other tissues and brain:
  - (a) Leptin
  - (b) Lecithin
  - (c) Lysine
  - (d) Lectin
- 62. The restriction endonuclease and the corresponding methylase are sometimes referred to as:
  - (a) Endonuclease system
  - (b) Host protection
  - (c) Restriction guest protection
  - (d) Restriction modification system
- 63. Which among the following blocks the de novo pathway of DNA synthesis?
  - (a) Hypoxanthine
  - (b) Aminopterin
  - (c) Thymidine
  - (d) PEG

- 64. Peptide growth factor that increases the success of establishing and maintain ES cell lines:
  - (a) ESF
  - (b) PGF<sub>2α</sub>
  - (c) FSH
  - (d) LIF
- 65. One of the reasons for ketone body formation is:
  - (a) Drop in OAA
  - (b) Excess glucose metabolism
  - (c) Excess blood glucose
  - (d) Increase in Glucagon
- 66. Molecules that help in correct folding of improperly folded polypeptides are:
  - (a) Histones
  - (b) Chaperones
  - (c) Amyloid fibres
  - (d) Protomers
- 67. Carriers in ETC function in order of:
  - (a) Increasing reduction potential
  - (b) Decreasing reduction potential
  - (c) Based on their position in mitochondrion
  - (d) Based on order of enzymes
- 68. Treatment with proteolytic enzymes cuts a 323 residue piece containing the 5' – 3' exonuclease from DNA polymerase I

leaving a larger C-terminal piece known as:

- (a) Replisome
- (b) Okazaki fragments
- (c) Klenow fragment
- (d) DNA polymerase II
- 69. Which one of the following lipoproteins is responsible for picking-up excess cholesterol in peripheral tissue capillary bed?
  - (a) Chylomicrons
  - (b) LDL
  - (c) HDL
  - (d) VLDL
- 70. The principle behind chloridebicarbonate shift is:
  - (a) Diffusion
  - (b) Osmosis
  - (c) Donnan's equilibrium
  - (d) Ex-osmosis
- 71. The phenomenon of  $\beta$ - $\gamma$  bridging suggests:
  - (a) Chronic active hepatitis
  - (b) Acute mild hepatitis
  - (c) Mild hapatitis
  - (d) Gl disorder
- 72. In which type and stage of Leptospirosis, there is normal BUN

levels initially and marked increase in BUN levels at later stages?

- (a) Hemorrhagic
- (b) Haemolytic
- (c) Icteric from the world
- (d) Uraemic
- 73. Intrahepatic cholestasis is indicated by elevated serum levels of which of the following?
  - (a) ALT
  - (b) Glutamate dehydrogenase
  - (c) GGT
  - (d) Sorbitol dehydrogenase
- 74. Which among the following will not lead to respiratory acidosis?
  - (a) Damage to respiratory centre in Medulla Oblongata
  - (b) Pneumonia
  - (c) Psychoneurosis
  - (d) Emphysema
- 75. The following diuretic inhibit water and solute reabsorption by increasing osmolarity of tubular fluid at proximal tubules:
  - (a) Mannitol
  - (b) Furosemide
  - (c) Spironolactone
  - (d) Acetazolamide

- 76. The plasma pH is best correlated with which of the ratio?
  - (a)  $H_2PO_4^-: HPO_4^{-2}$
  - (b) NH<sub>4</sub> : NH<sub>3</sub>
  - (c)  $H_2CO_3:HCO_3$
  - (d) HHb: Hb-
- 77. Most neutral fat in ruminant animal is synthesized from:
  - (a) Glucose
  - (b) Acetate
  - (c) Propionate
  - (d) Mannose
- 78. The activity of which enzyme below in the HMP shunt would be non-affected by thiamin deficiency?
  - (a) Glucose 6-phosphate dehydrogenase
  - (b) 6-phosphoglucanate dehydrogenase
  - (c) Transketolase
  - (d) Tansaldolase
- 79. A deficiency of which one of the following B-complex vitamin would make it m ore deficient to convert Trp to NMN and therefore potentiate a niacin deficiency?
  - (a) Pyridoxine
  - (b) Folic acid
  - (c) Biotin
  - (d) Riboflavin

- 80. The –OH group attached to the 2'-carbon atom of ribose is replaced by what in deoxyribose?
  - (a) Sulph-hydryl group
  - (b) Oxygen
  - (c) Phosphate
  - (d) Hydrogen
- 81. The initiating (5') AUG is guided to its correct position by:
  - (a) DNA
  - (b) Shine-Dalgarno sequence
  - (c) fMet-tRNAfMet
  - (d) Initiation complex
- 82. Which among the following is 4-O- $\beta$ -D-glucopyranosyl-D-glucopyranose?
  - (a) Cellobiose
- (b) Isomaltose
  - (c) Maltose la carrio la comunicación
  - (d) Lactose
- 83. While degradation which of the following amino acid does not get converted to α-ketoglutarate?
  - (a) Proline
  - (b) Glutamine
  - (c) Threonine
  - (d) Arginine
- 84. Genetic code is the arrangement pattern of nucleotides in which of the following?
  - (a) DNA
  - (b) mRNA

- (c) tRNA
- (d) rRNA
- 85. The catalytic subunit of protein kinase A, released when cAMP level rise, enters the nucleus and phosphorylates a nuclear protein called:
  - (a) CRE
  - (b) CREB same to open office A SS
  - (c) SRA
  - (d) siRNA
- 86. Ideal place for insertion of DNA insert into a plasmid with two marker sites :
  - (a) oriC
  - (b) Place outside the markers
  - (c) Inside one marker
  - (d) Inside both markers
- 87. In Vitamin K deficiency:
  - (a) The liver stops its production of prothrombin
  - (b) Warfarin administration would have no effect
  - (c) The liver stops production of fibrinogen
  - (d) The liver continues its production of non-functional prothrombin
- 88. The no. of Protozoa present in one millilitre of rumen liquor is:
  - (a)  $10^{9-10}$
  - (b) 10<sup>16</sup>–17
  - (c)  $10^{6-7}$
  - (d)  $10^{2-4}$

JG-2A/20

(11)

(Turn over)

89.		cording to thumb rule, 1 kg centrate mixture is required for every			nding of grains increase estibility, because of:	
	mid n	kg of milk yield in cows.		(a)	Slower rate of passa	ge in
	(a)	2.0 lab/SMAbi nadw bezselan A			digestive tract	
	(b)	2.5 data de para que la un anti ese in e 3.0		(b)	Faster rate of passa digestive tract	ge in
	(d)	1.5		(c)	Increased surface are	ea for
90.	Act	he age of animal/human advance	20		enzymatic action	
00.		following nutrient decreases:		(d)	Decreased surface are	ea for
	(a)	Carbohydrate			enzymatic action AMG	
	(b)	Protein	95.	Ast	he plant matures, following r	utrient
mod	(c)	Fat	38		Discoul soulide a	
	(d)	Vitamins		(a)		
91.	Mo	Iff-Lehman feeding standa	rd	(b)	Cellulose	,
31.		eloped in the year:	-0-	(c)	Lignin	
	(a)	1003		(d)	Fat	
	(b)	1897	06			
	(c)	1884	Y8 96.		following factor will not afformical composition of forage	
	(d)	1907 (s)		(a)	Soil composition	CIOP.
00						
92.		matter content (%) in green pa	ra	(b)	Manuring and fertilization	W
		20 a good sevel ant		(c)	Stage of maturity of the pla	
	(b)	25 reported		(d)	Method of harvesting of the	
	(c)	10 seuningonevitent mi			crop	
	(d)	10 15 19 L 1000 H 1 Provide	97.		determining the digestibility of	Contract to
	DS.IT!			111.00	onducting digestion trial in rum	al market
93.		ogenous Urinary Nitrogen (EUN) logous to:	is		optimum length of 'preliminary wed is:	
	(a)	MFN (6)		(a)	One week	
	(b)	Basal metabolism		(b)	Two weeks	
	(c)	ME (a)		(c)	Three weeks	
	(d)	DE 4-501 (b)		(d)	60 days	
JG-	- 2A/2	20)	(12)		089	Contd.

98. When we subtract fecal energy from gross energy (GE) we will get?	103. The most important measure to assess the quality of protein in monogastric
	animals is:
(a) GPD mad empouring (a)	
(b) NE variety (d)	and the deficilitation of the Management of the
(c) ME vs/reasig bex.t// (c)	(b) Protein equivalent
(d) DE	(c) NPU
99. In ruminants, DE is multiplied with a	(d) DCP
factor to get ME:	104. In poultry nutrition, in addition to
(a) 0.92	10EAA's another AA required is:
(b) 0.96	(a) Lysine
(c) 0.82	(b) Tryptophan
(d) 0.51	(c) Glycine
100. In India, energy requirement of cattle is	(d) Threonine
expressed in terms of :	105. Urea (NPN compound) is included in the
(a) DE	complete rations for ruminants at the
(b) ME	rate of :
(c) TDN	(a) 0.5%
(d) SE Shap transfer (a)	(b) 1-2.0%
(a) Til pakelsawiidwer cake	on in Second of Causa ainchirea.  (c) 4%
101. Following mineral element is essential for wool growth in sheep:	(d) 5%
(a) Calcium	apa pileo A (a)
(b) Phosphorus	106. Calcium and Phosphorus ratio of 12:1
	is followed in :
(c) Manganese	(a) Layer chicks
(d) Sulphur	(b) Broiler growers
102. Quality of protein is not important in the	(c) Layers and the standard of
following species:	(d) Broilers de epsile exism
116 Following as the miletand(a) for for	107. In ruminants, following mineral is
beet s (b) I Pig and to not referred to	essential for synthesis of Vit B <sub>12</sub> in the
(c) Poultry	rumen:
(d) Duck ships ormone (s)	(a) Se 37 (b)
JG-2A/20 (1	3) (Turn over)
·	

6588	(b)	Zn	inipation ison			112.	Fol	lowing is the 'best qu	ality hay' for
inab)	(c)	Cu					fee	ding of sheep:	
	(d)	Co					(a)	Lucerne hay	
108	Calc		ent Oyster sh		erit		(b)	Grass hay	
100.	is:	Juin come			JI IC		(c)	Mixed grass hay	
	(a)	22%					(d)	Guinea grass hay	
		18%				113.	Ant	i-nutritional factor pr	esent in the
1 176	(b)							pabul leaves is :	rej <b>os</b> ji
	(c)	38%		-704			(a)	Mimosine	
	(d)	42%					(b)	Lucine	
109.	Yello	ow color o	f broiler skin	is due to t	he		(c)	Gossipol	
	addi	tion of	in the di	et of broile	rs.		(d)	Nimbidin	
	(a)	Caroten	oids			114	Δfla	toxin is most commonl	y found in the
	(b)	Xanthop	hils			117.		owing feedstuff:	y lourid in the
	(c)	Flavonoi	ds				(a)	Maize grain	
	(d)	Both (a)	and (b)				(b)	Rice bran	
110.	Fee	ding of lo	onophore a	ntibiotics	in		(c)	Groundnut cake	
	rum	inants ca	use to incre	ease in th	ne		(d)	Til cake/sawflower ca	ake
	prod	luction of:				445	195 3		olio7 - Folio
	(a)	Acetic a	cid			115.		ection period (no. of date on ducting digestibility)	
	(b)	Propioni	c acid					vo method in ruminant	1997
	(c)	Citric ac	id				(a)	21	
	(d)	Butyric a	cid				(b)	7	
111.	Dry	matter cor	ntent (%) in w	ell prepare	he		(c)	2	
,,,,			hould be:		30		(d)	ormition at nietory to the	
	(a)	35				440		BOLTOUR GITT	
	(b)	privole				110.		owing is the internal ermination of digestibi	
	(c)	25						attle:	
	(d)	75						Chromic oxide	
JG -	2A/2	0			(14)	)			Contd.

	(d)	(b) is correct		(d)	Godawari (5)
117.		nale co-twin of male which is sterile	122.		most critical amino acid in the diet
<del>24</del> 733		alled as:			vool producing sheep is:
	(a)	Bull calf		(a)	Lucine (s)
	(b)	Free martin		(b)	Cystine
	(c)	Heifer		(c)	Isolucine (c)
	(d)	Nymphomania		(d)	Valine (b)
118.		ow apparently always in oestrus is	123.		cattle breed of India well known for
. 69	W/TU	wn as:			ichal type of gait is:
( agor	(a)	Buller		(a)	Hallikar
	(b)	Heifer		(b)	Red sindhi
2 × 1	(c)	Dry cow		(c)	Gir
	(d)	Down calves		(d)	Kankrej
119.	The	DCP% of an ideal calf starter is:	124.	Milk	ring before calving is known as ;
	(a)	30		(a)	Stripping About (6)
101.6	(b)	the and beniede and tend ASI		(b)	Prenating (a)
	(c)	20		(c)	Knucling (a)
	(d)	15 (B)		(d)	Pre handling (0)
120.	High	nest milk producing cattle breed in	125.		sheep breed having long tail ches upto fetlock is:
		Ongle (b)		(a)	Nali (6)
	(b)	Sahiwall Management and Management a		(b)	Deccani piglisme ve
	(c)	Hallikar lag teluping med		(c)	Patanwadi (1977)
	(d)	Haryana		(d)	Muzzafarnagri
121.		following is known as copper colour	126.		eding a dry cow specially in paration for calving is termed as:
	(a)	Badawari		(a)	Flushing (a) yes (a)
JG-	2A/2	0 (1	5)		(Turn over)

(b) Toda

Nili Ravi

(c)

(b)

(c)

Lignin

(a) is correct

	(c)	Balanced ra	tion		(8)		(c)	1 <sup>st</sup> Lumbar vertebra	
	(d)	Additional ra	ation				(d)	1 <sup>st</sup> Coccygeal vertebrae	
127.	The	fibre obtaine	d from Kas	hmiri go	at	132.	Farn	ning method that carried out witho	out
	is:						use	of artificial fertilizers and pesticid	es
	(a)	Mohair					is ca	alled:	
	(b)	Pelt	Cyeline	$(C_i^i)$			(a)	Organic farming (d)	
	(c)	Wool					(b)	Mixed farming	
	(d)	Pashmina					(c)	Diversified farming	
128.	The	milk queen o	f Goat worl	d is:			(d)	Backyard farming	
	(a)	Sannen				133	Mair	n feature of germ free animal is:	
	(b)	Surti				100.	(a)	Made free from particular pathog	
	(c)	Chigu	forse baff				(b)	Having known microflora	
	(d)	Ganjam		1-1			(c)	Not having any microorganism	
129.	Ave	rage daily f	eed requir	ement	of			Having all types of mici	
		ea pig is :					(d)	organisms	
	(a)	40-60g/day	printe					(a) 30	
	(b)	20-50g/day				134.		t milk obtained immediately af	ter
	(c)	10-15g/day		(0)				ing is known as:	
	(d)	23-30g/day					(a)	Colustrum	
130	The	smallest pig	of a litter usu	ıally last	to		(b)	Muconium	
100.		arrowed is ca					(c)	Whole milk	
	(a)	Cad					(d)	Normal milk	
	(b)	Small pig				135.	The	particular animal that is made fr	ree
	(c)	Free martin			*		fron	n particular pathogen is known a	s:
	(d)	Burrow					(a)	Specific pathogen free animal	
131.	In su	vine, the carca	ass length is	measure	ed		(b)	Conventional animal	
131.		the front of					(c)	Germ free animal	
	(a)	Last rib	printeut-;	(8)			(d)	Gnotobiotic animal	
JG-	- 2A/2	20			(16	)		OSA Cor	ntd.

(b) Aitch bone

(b) Steaming up

			on rorage or ope recated at.		(2)	- Laconno
2		(a)	Karnal		(c)	Colonial grass
		(b)	Jhansi palotes at mean		(d)	Para grass
		(c)	Hyderabad beams and do	142	2. Sci	entific name of Fowl is:
		(d)	Hissar, beonsuffacea (b)		(a)	Gallus domesticus
	137.	The	acid required for good quality silag	je	(b)	Pavocristatus
		is:	nite alleile interaction is known		(c)	Meliagris gallopava
		(a)	Acetic acid		(d)	Conturix japonica
		(b)	Butyric acid	142	Cui	rlad too in chicks reculting from
		(c)	Propionic acid	140		rled toe in chicks resulting from iciency of:
		(d)	Lactic acid		(a)	Nicotinic acid
	138.	Moi	sture content of chopped hay is:	071	(b)	Riboflavin
	, ARC	(a)	19-22%		(c)	Thiamine dused it, not benied
		(b)	25-28%		(d)	Manganese Manganese
		(c)	20-25%	144	The	e practice of cannibalism is ver
		(d)	25-30%	b		nmon in:
	139.	The	pH of good silage is:		(a)	Poultry
		(a)	7		(b)	Cattle Cattle
		(b)	The word gene was coined 4		(c)	Sheep
		(c)	6		(d)	Horse
		(d)	3.5	145	The	e main difference between zebu
	140.	The	toxic substance present in subaboo			le and exotic cattle is :
		is:			(a)	Colour Colour
94.		(a)	Mimosin (b)		(b)	Height (b)
		(b)	Oxalates		(c)	Presence of hump
		(c)	HCN		(d)	Shape of horns
		(d)	Saponin	146	The	correct order of the stages of firs
	141.	Whi	ch of the following is an example fo			otic prophase is :
		legu	minous perennial fodder variety?		(a)	Leptotene, pachytene, zygotene
		(a)	Hybrid Napier			diplotene (b)
	JG-	2A/2	0	(17)		(Turn over)

- (b) Leptotene, zygotene, pachytene, diplotene
- (c) Heptotene, diplotene, zygotene, pachytene
- (d) Leptotene, zygotene, diplotene, pachytene
- 147. The individual of Ablood group contains:
  - (a) A antigen
  - (b) Bantigen
  - (c) No antigen
  - (d) A and B antigens
- 148. When a non barred cock is crossed with barred hen, it results in :
  - (a) Barred males and females
  - (b) Non-barred males and females
  - (c) Barred males and non barred females
  - (d) Barred females and non barred males
- 149. Sex linkage in drosophila discovered by:
  - (a) Bateson
  - (b) T. H. Morgan
  - (c) J. D. Watson
  - (d) Charles Darwin
- 150. The concept of linkage was put forth by:
  - (a) C. B. Bridges
  - (b) Bateson and Punnet
  - (c) Galton
  - (d) C. Correns

- 151. The inheritance that is passed through the X chromosome is known as:
  - (a) Sex-linked
  - (b) Sex limited
  - (c) Sex influenced
  - (d) Extra chromosomal
- 152. Inter allelic interaction is known as:
  - (a) Dominance
  - (b) Over dominance
  - (c) Epistasis
  - (d) Recessive
- 153. The heritable component of phenotypic variance is:
  - (a)  $V_A$
  - (b) V<sub>D</sub>
  - (c) V<sub>E</sub>
  - (a)  $V_D + V_E^{eq} = 0$  (b)
- 154. The word gene was coined by the Scientist:
  - (a) Johannsen
  - (b) Bateson
  - (c) H. J. Muller
  - (d) V. Nageli
- 155. The number of linkage groups in cattle are:
  - (a) 20
  - (b) 30
  - (c) 18
  - (d) 25

rollet art to naint/

156. Differential response of same genotype	(b) Heritability
in different environments is known as:	(c) Repeatability
(a) Genotype X Phenotype interaction	(d) Genetic gain
(b) Genotype X Environment inter- action	161. Inbreeding in a population:
(c) Genotype X Heredity interaction	(a) Reduces variance
(d) Environment X Environment inter-	(b) Increases heritability
action	(c) Increases the fitness
157. Maximum recombination frequency (%)	(d) Reduces the genetic abnorma-
is: Additive gene action	lities
(a) 40 sonsamiQ (d)	oimoeonoM (d)
(b) 30 eonimob is (0 (a)	162. The selection aid preferred when the
(c) 50	heritability of the trait is high in:
TE. Reciprocal recurrent selection (b) res	(a) Individual selection (b) Family selection
158. Genetic correlations among traits occur	(c) Sib selection
due to: grantemos chosed (d)	(d) Progeny testing
(a) Linkage of genes	0(01.10 (0)
(b) Pleotropy of genes	163. Wall eye is the characteristic feature of
(c) Both (a) and (b)	the following breed:
(d) None of the above	(a) Murrah
159. The theory of 'acquired characters are	(b) Surti
inherited' was given by:	(c) Pandarpuri
(a) Charles Darwin	(d) Nili Ravi
(b) A. Weissman	164. Lyre horns are the characteristics of the
(c) J. B. Lamarck	following breed of cattle:
(d) R.A. Fisher	(a) Amrithmahal
160. Regression of breeding value on	(b) Deoni
phenotypic value gives:	(c) Tharparker
(a) Fitness value	(d) Kankrej Assass (b)
JG-2A/20 (19	(Turn over)

165.	The	gene which kills an individual before	170.	Obs	served superiority of out breeds and
	birth	n is called as: delaged (a)		cros	ss breeds over the parental breeds
	(a)	Semi lethal		is:	
	(b)	Sub vital		(a)	Heterosis edvoned (d)
	(c)	Lethal		(b)	Transgressive variation
	(d)	Sub lethal		(c)	Fitness value
166.	2n-	2 chromosome complement is		(d)	Breedable value
		ned as:	171.	Ger	neral combining ability occurs due to:
	(a)	Nullisomic		(a)	Additive gene action
	(b)	Monosomic		(b)	Dominance (8)
	(c)	Trisomic San Addaese ent San		(c)	Over dominance
	(d)	Tetrasomic		(d)	Epistasis
167.	One	e of the following is a nonionizing	172.	Rec	siprocal recurrent selection utilizes :
	radi	ation:	39.30	(a)	General combining ability
	(a)	X-rays		(b)	Specific combining ability
	(b)	UV rays		(c)	Both combining ability
	(c)	Gamma rays		(d)	None of the above
	(d)	Cosmic rays de Moliot adi	173.	Mea	an deviation of progeny from the
168.	Fur	pelts are produced from which sheep?		pare	ental population is known as:
	(a)	Lincoln		(a)	Selection differential
	(b)	Suffolk (a)		(b)	Response to selection
	(c)	Karakul		(c)	Selection intensity
	(d)	Dorset		(d)	Realized heritability
169.	One	of the following is a fine wool sheep:	174.	The	NDRI is located at :
	(a)	Ramboullet		(a)	Delhi ar redel A.R. (b)
	(b)	Sonadi (d)		(b)	Bombay 10 Holgsenge 7 Oar
	(c)	Bannur IsmsqisaT (5)		(c)	Karnal Japanis Volgyronang
	(d)	Deccani (b)		(d)	Hyderabad
JG –	2A/2	20)	20)		Contd.

	1/5. In	e temperature of churning	g cream is:	180.	Nat	ural activity ii	n milk is due	e to:
	(a)	9-11			(a)	Citrates		
	(b)	4-6 s kenamobusa9			(b)	Carbonate	s 01	(a)
	(c)	37 Ca muiroqzobsiO			(c)	Potassium		(d)
	(d)				(d)	Sodium	001	
	176. The	e most variable constituen	t of milk is:	181.	The	cream with h	ighest level	of fat% is
	(a)	Protein	(8)		(a)	Light Crear	my ni non zi	
	(b)	Fat			(b)	Coffee Cre	am alosil4	
	(c)	Ash			(c)	Plastic Cre	am similari i	
	(d)	None of the above			(d)	Whipping C	Cream	
Ş	d in this			182.	Egg	s can be com	mercially st	ored at the
	177. Ros	ssogolla is prepared by u	sing:		tem	perature of:		
	(a)	Channa Dona Doda 2			(a)	0°C		
	(b)	Pindi khoa			(b)	+ 0.5°C	NaOl	
	(c)	Dhap khoa			(c)	-0.5°C	Clycerol	
	(d)	None of the above	(b)		(d)	- 1.5°C	Both (a) an	
	178. Ice	cream without hardening	process is	183.	In fre	eezing dried n		
	calle	nogenic compound: be			is re	duced to	%.	310H .881
	(a)	Kulfi			(a)	50	Europeans	
	(b)	Softy			(b)	2	Africans	
	(c)	Irish cream			(c)	65	Australians	
4	(d)	None of the above			(d)	10		(b)
î.	170 Mills			184.	Whe	n fat content	of meat is i	ncreases,
		boiling temperature is:	194, Irrac		there	will be redu	ction in :	
	(a)	Bacteria 2°001	(a)		(a)	Water		
	(b)	< 100°C			(b)	Protein	8-4	(d)
	(c)	> 100°C (a) mos			(c)	Ash		
	(d)	90°C reasonegobal			(d)	Vitamins		
	JG - 2A/2	20	(21	)			(1	urn over)

	185.	Nitrates act as flavouring agent at			_ 190.	Green rod in egg is caused by:		
		ppm	n. seemoo			(a)	Proteus	
		(a)	10			(b)	Pseudomonas	
		(b)	50			(c)	Cladosporium	
		(c)	100			(d)	Aspergillus	
		(d)	150		191.	Skir	n in pig is called :	
	186.	Porl	c is rich in vitamin :			(a)	Hide	
		(a)	Niacin			(b)	Rind	
		(b)	Thiamine			(c)	Kip	
		(c)	Riboflavin	0)	*	(d)	Slunk	
		(d)	B2 - Januar ad uso		192.		est originated fat is fou	
	187	Most commonly used humectant is:			region: 1 beneated at ellopozada ATE			
	107.		NaCl	name to .		(a)	Subcutaneous	
		(a)				(b)	Intramuscular	
		(b)	Glycerol			(c)	Intermuscular	
		(c)	Both (a) and (b)			(d)	Caul fat	
		(d)	None of the above		193.	Liq	uid smoke used to a	void the
•	188. Horse meat is commonly consumed by:				carcinogenic compound present in			
		(a)	Europeans			smoke is:		
		(b)	Africans			(a)	Hydrocarbons	
		(c)	Australians			(b)	Acetic acid	
		(d)	Indians			(c)	Phenol	
	189.	Rigo	or mortis in fowl is seen	in <u>/ 88</u>		(d)	Benzypyrin	
	hours.			194.	Irradiation is ineffective in destroying:			
		(a)	2-4			(a)	Bacteria	
		(b)	4-8			(b)	Parasite	
		(c)	8-12			(c)	Both (a) and (b)	
		(d)	12-24			(d)	Endogenous enzymes	
	IG-	- 2A/2	20		(22)			Contd.
		and the						

195	5. Callipyge lamb contains :		198.	The	The shelf life of mechanically recovere	
	(a)	More calpastatin		mea	at is short due to :	
	(b)	Less calpastatin		(a)	Excess fat	
	(c)	More calpain		(b)	Excess metal residues	
	(d)	Less calpain		(c)	Microbial load	
196.	D	value is more important in		(d)	All of the above	
	pres	servation method :	199.	Mea	at is poor source of :	
	(a)	Chilling		(a)	Vitamin A	
	(b)	Freezing		(b)	Vitamin B complex	
	(c)	Drying		(c)	Vitamin C	
	(d)	Canning		(d)	Vitamin D	
197.	. The unique amino acid present in elastin		200.	00. Efficiency of pasteurization is measure		
	is:			by:		
	(a)	Glycin		(a)	pH Test	
	(b)	Proline		(b)	Lipase Test	
	(c)	Demosine		(c)	Amylase Test	
	(d)	Lysine		(d)	Phosphatase Test	



## SPACE FOR ROUGH WORK



JG-2A/20 (90)

(24)

Paper - II / Animal Science