

AIIMS Delhi Nursing Officer

Previous Year Paper Memory Based Paper [16th September 2018]

www.freshershow.com

100 Questions



| Que. | |
|-------------------|------------------------------------------------------------------|
| | following defense mechanism was used by the patient? |
| 1. | Denial |
| 2. | Projection |
| 3. | Rationalization |
| 4. | Sublimation |
| Corre | ect Option - 3 |
| Que. | 2 Moro reflex disappears at which age |
| 1. | 1-2 months |
| 2. | 4-6 months |
| 3. | 6-9 months |
| 4. | 9-12 months |
| Corre | ect Option - 2 |
| Que. | |
| Que. 1. | 1 min |
| 2. | 2 min |
| 2. 3. | 3 min |
| <i>3</i> . 4. | 5 min |
| | ect Option - 4 |
| | |
| Que. | Which drug is used for prophylaxis of manic-depressive disorder? |
| 1. | lithium |
| 2. | Valproate |
| 3. | Haloperidot |
| 4. | Phenytoin |
| Corre | ect Option - 1 |
| Que. | 5 Which electrolyte has to be maintained in lithium therapy? |
| 1. | Sodium |
| 2. | Potassium |
| 3. | Calcium |
| | Magnesium |
| 4. | <u> </u> |

Que. 6 Highly heat resistance vaccine is

- 1. BCG
- 2. MMR
- 3. OPV
- 4. TT

Que. 7



| 1. | Propranolol |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 2. | Sulfonylurea |
| 3. | Cephalosporine |
| 4. | Zidovudine |
| Corre | ect Option - 2 |
| | |
| Que. | 8 Most Common site for central line catheterization? |
| 1. | Internal jugular vein |
| 2. | Femoral vein |
| 3. | Radial vein |
| 4. | Biracial vein |
| Corre | ect Option - 1 |
| | |
| Que. | 9 Which Syringe is used for flushing PICC? 1 ml. 2 ml. 3 ml. 5 ml. ect Option - 4 |
| 1. | 1 ml. |
| 2. | 2 ml. |
| 3. | 3 ml. |
| 4. | 5 ml. |
| Corre | ect Option - 4 |
| | Ner |
| Que. | 10 Delirium tremens are withdrawal symptoms of- |
| 1. | Alcoholism |
| 2. | Alcoholism Cocaine Opioid |
| 3. | Opioid |
| 4. | Opioid Cannabis |
| Corre | ect Ontion - 1 |

Which drug is RELATIVELY Contraindicated in breast feeding-

Correct Option - 1

Que. 11 Common complication after perforation of appendix?

- 1. Peritonitis
- 2. Hemorrhage
- 3. Intestinal obstruction
- 4. Pelvic Inflammatory Disease
- Correct Option 1

Que. 12 Tuft of hair are seen in which type of neural tube defect?

- 1. Spina bifida occulta
- 2. Spina bifida Cystica
- 3. Enterocele
- 4. Hydrocephalus

Que. 13 Which of the following electrolyte imbalance is associated with Digoxin toxicity?

1. Hypokalemia

- 2. Hypernatremi
- 3. Hypernatremia
- 4. Hypocalcemia

Correct Option - 1

Que. 14 Route of administration of Rota vaccine

- 1. Oral
- 2. IM
- 3. IV
- 4. Subcutaneous

Correct Option - 1

| Que. 15 Whitish discharge from vagina is seen in- | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 1. Trichomoniasis | | |
| 2. Syphilis | | |
| 3. Gonorrhea | | |
| 4. Candidiasis | | |
| Correct Option - 4 | | |
| | | |
| I. Trichomoniasis 2. Syphilis 3. Gonorrhea 4. Candidiasis Correct Option - 4 Que. 16 Coarse Rattling sound in large airway? Stridor Rhonchi Inspiratory gasp Pleural friction Correct Option - 2 | | |
| 1. Stridor | | |
| 2. Rhonchi | | |
| 3. Inspiratory gasp | | |
| 4. Pleural friction | | |
| Correct Option - 2 | | |
| WAR | | |
| Que. 17 Red color urine is seen in which antitubercular drug? | | |
| 1. Rifampicin | | |
| 2. Ethambutol | | |
| 3. Isoniazid | | |
| 4. Streptomycin | | |
| Correct Option - 1 | | |
| | | |
| Que. 18 Complication associated with massive blood transfusion is | | |
| 1. Hypokalemia and hypercalcemia | | |
| 2. Hyponatremia | | |
| 3. Hypernatremia | | |

4. Hyperkalemia and Hypocalcemia

Correct Option - 4

Que. 19 Ramsay Scale is used for the assessment of

1. Anxious Patient



- 2. Sedation
- 3. Arousal
- 4. Pain



| 00110 | |
|----------------------|---------------------------------------------------------------------------------------------------------------|
| Que. 2 | 0 Breast milk can be stored at room temperature for how many hours? |
| 1. | 2 hours |
| 2. | 4 hours |
| 3. | 6 hours |
| 4. | 8 hours |
| Corre | ct Option - 2 |
| Que. 2 | 1 If LMP is 25 June, 2018, then what is the EDD? |
| 2 uc. 2 1. | 1 April, 2019 |
| 2. | 4 April, 2019 |
| 2. 3. | 2 March, 2019 |
| <i>3</i> . 4. | 4 March, 2019 |
| | ct Option - 1 |
| conc | |
| 1 | |
| Que. 2 | 2 After a road traffic accident which cannula is used for fluid replacement in casualty for an adult patient? |
| 1. | Orange $\sqrt{9}$ |
| 2. | Purple |
| 2. 3. | Green |
| <i>4</i> . | Grey |
| | Purple Green Grey ct Option - 3 |
| Que. 2 | |
| 1. | 1-4 liter |
| 2. | 5-8 liter |
| 3. | 1-8 liter |
| 4. | 1-3 liter |
| Corre | ct Option - 1 |
| Que. 2 | 4 Chromic catgut absorption time of chromic catgut suture- |
| 1. | 7 days |
| 2. | 14 days |
| 3. | 21 days |
| 4. | 90 days |
| Corre | ct Option - 4 |
| Que. 2 | 5 In laparoscopy procedures gases is used for inflation abdominal wall is |
| 1. | Nitrous oxide |
| | |

2. Oxygen

- 3. Carbon Dioxide
- 4. Helium



| Que. 20 | Which of the following is not an input device in a computer? |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Mouse |
| 2. | Keyboard |
| 3. | Scanner |
| 4. | Printer |
| Correc | t Option - 4 |
| | |
| Que. 2' | |
| 1. | Induction of labor |
| | Fetal Monitoring |
| | Progress of labor |
| | Fetal wellbeing |
| Correc | t Option - 1 |
| Que. 28 | In a primigravida mother, engagement occurs at approximately of gestation |
| 1. | 30-32 weeks |
| 2. | 32-34 weeks |
| 3. | 34-36 weeks |
| 4. | 38-40 weeks |
| Correc | t Option - 3 |
| | In a primigravida mother, engagement occurs at approximately of gestation 30-32 weeks 32-34 weeks 34-36 weeks 38-40 weeks t Option - 3 |
| Que. 29 | Oral pills can cause all, except |
| 1. | Decreased risk of ovarian cancer |
| 2. | Decreased risk of breast cancer |
| 3. | increased risk of breast cancer |
| 4. | ncreased risk of cervical caner |
| Correc | t Option - 2 |
| | |
| Que. 30 | Select the ODD one |
| 1. | Bed sheets |
| 2. | Shirt |
| 3. | Tablecloth |
| 4. | Curtain |
| Come | t Ortiger 2 |

| Que. 31 | Which of the following nursing action is required before giving clear liquid fluid after anesthesia? |
|---------|------------------------------------------------------------------------------------------------------|
| 1. | Check for bowel sound |

- 2. Check urine output
- 3. Check weight
- 4. Check gag reflex



| Que. 32 | Which of the following nursing action is required before giving solid food after anesthesia FRESHERS No |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Check for bowel sound and passing flatus |
| 2. 0 | Check urine output |
| 3. (| Check weight |
| 4. (| Check gag reflex |
| Correct | Option - 1 |
| | |
| Que. 33 | Drug of choice for Bipolar Affective Disorder is |
| 1. | Lithium carbonate |
| 2. 0 | Chlorpromazine |
| 3. I | Bupropion |
| 4. I | Benzodiazepines |
| Correct | Option - 1 |
| | |
| Que. 34 | Height measurement of 2 year old child is done by |
| 1. | Stadiometer |
| 2. I | nfantometer A |
| 3. (| Goniometer |
| 4. I | Lefractometer |
| Correct | Option - 1 |
| | Height measurement of 2 year old child is done by Stadiometer Mantometer Coniometer Cefractometer Option - 1 Current (2018) director of Delhi AIIMS? |
| Que. 35 | Current (2018) director of Delhi AIIMS? |
| 1. | Dr. S Mishra |
| 2. I | Dr. CV Mishra |
| 3. I | Dr. Randeep Guleria |
| 4. J | . P. Nadda |
| | Option - 3 |
| | |
| Que. 36 | Normal value of serum potassium is |
| 1. | 3-5 mEq /L |
| 2. 5 | -8 mEq/L |
| | -3 meq/1 |
| | 35-145 meq/1 |
| C | |

Que. 37 Major intracellular cation is

- 1. Potassium
- 2. Chloride
- 3. Sodium
- 4. Magnesium

Foot drop occurs due to **Oue. 38**

- Sciatic nerve 1.
- 2. Superficial peroneal artery
- 3. Deep peroneal nerve
- 4. Brachial plexus

Correct Option - 3

Que. 39 Which position is given to a patient after Mastectomy?

- 1. Side line of affected side
- 2. Elevate affected hand with a pillow
- 3. Left lateral position
- 4. **Prone Position**

Correct Option - 2

ed eranow **Que. 40** Which position provided to a client after spinal anesthesia?

- 1. Sim's
- 2. Supine with under head Pellow
- 3. Flat
- 4. High fowler

Correct Option - 3

Oue. 41 In Hypotension which fluid is provided

- 1. Normal Saline
- 2. Dextrose 10%
- 3. NS 3%
- 4. **Ringer** Lactate

Correct Option - 4

Which of the following condition is a medical emergency that can be fatal Que. 42

- 1. Acute epiglottitis
- 2. laryngo pneumonitis
- 3. Cystic fibrosis
- 4. Chronic asthma

Correct Option - 1

Oue. 43 ICD tube is attached to

- 1. Closed drainage
- 2. Open drainage
- 3. Water seal chamber
- 4. Negative suction pressure

Correct Option - 3

Que. 44 Which instruction is given to the patient while removing chest tube?

1. Deep breath, exhale and bear down



- 2. Hold breath
- 3. Perform pursed lip breathing
- 4. Lie down calmly



| <u> </u> | |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Que. 45 | Most important Nursing action for fracture healing? Immobilization |
| 1. 2 C | |
| | alcium supplement xercise |
| | |
| | ntibiotics |
| Correct | Option - 1 |
| Que. 46 | Which complication may be seen in burn patient? |
| 1. | Contracture |
| 2. D | VT |
| 3. P | ulmonary embolism |
| 4. V | aricose vein |
| Correct | Option - 1 |
| | aricose vein Option - 1 Sunder Pichai is CEO of |
| Que. 47 | Sunder Pichai is CEO of |
| 1. | Google |
| 2. N | ficrosoft |
| 3. C | . Apple |
| 4. S | amsung |
| Correct | Sunder Pichai is CEO of Google ficrosoft . Apple amsung Option - 1 Confirmatory Diagnostic test of multiple pregnancy is |
| Que. 48 | Confirmatory Diagnostic test of multiple pregnancy is |
| 1. | hCG |
| 2. P | alpation N |
| 3. U | Itrasonogram |
| 4. A | FP |
| Correct | Option - 3 |

- 2. HR
- 3. Weight
- 4. Respiration

Correct Option - 1

Que. 50Which value of HbA1c in a Diabetic patient is indication of good control of blood sugar level-1.2.5%

- 2. 6.5%
- 2. 0.370
- 3. 8.5%

4. 11%

Correct Option - 2



| | FRESHERS |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Que. 51 | Following plaster cast the nurse should asses first- |
| 1. | Color of extremities |
| 2. | Temperature |
| 3. I | Movement of toe |
| 4.] | Pallor |
| Correc | t Option - 3 |
| Que. 52 | Normal color of colostomy stoma? |
| 1. | Pale pink |
| 2. 1 | Brick red |
| 3.] | Dark red |
| 4. ` | Yellowish |
| Correc | t Option - 1 |
| Que. 53 | Characteristic feature of pyloric stenosis? |
| 1. | Water diarrhea |
| 2. | elly like stool |
| 3. 1 | Projectile vomiting |
| 4. (| Constipation |
| Correc | Characteristic feature of pyloric stenosis? Water diarrhea Projectile vomiting Constipation t Option - 3 |
| Que. 54 | In a 50 over cricket match, the chasing team scored 5 runs per over in the first 30 over. Required run rate is 10 runs per over; what is the score of first team? |
| 1. | 350 |
| 2. | 849 250 NNN |
| 3. 2 | 250 |
| 4. | 399 |
| Correc | t Option - 1 |
| Que. 55 | Golden color of amniotic fluid indicates which condition? |
| 1. | Fetal distress |
| 2. 1 | Post maturity |
| | Rh incompatibility |
| | UD |
| | t Option - 3 |
| | • |

Que. 56 Which diagnostic test is performed for Rh incompatibility?

- 1. Indirect Coomb test
- 2. Direct Coomb test
- 3. Hemogram
- 4. Blood group



| Que. 57 | Which of the following is Negative symptom of Schizophrenia? | FRESHERS NO |
|----------------------|--------------------------------------------------------------|-------------|
| 1. | Delusion | |
| 2. A | Anhedonia | |
| 3. H | Iallucination | |
| 4. Clang association | | |
| Correct | Option - 2 | |
| | | |
| Que. 58 | Which of the following is Positive symptom of Schizophrenia? | |

- 1. Stupor
- 2. Apathy
- Delusion 3.
- Alogia 4.

| Que. 59 Kegel exercise used after delivery to |
|-----------------------------------------------|
|-----------------------------------------------|

- Strengthening urinary muscles rectal muscles. 1.
- 2. Strengthening of abdominal muscles
- 3. Subinvolution
- 4. Prevent PPH

Correct Option - 1

zrsnow.cor Que. 60 Major depressive episodes are characterized by low mood for at least W.Er

- 1. One week
- 2. Two weeks
- 3. Four weeks
- Eight weeks 4.

Correct Option - 2

| Que. 61 | Nasopharyngeal tube is used in all, except |
|---------|--------------------------------------------|
|---------|--------------------------------------------|

- 1. Basilar skull fracture.
- 2. Oral surgery.
- 3. Sedation.
- Prolonged seizure activity 4.

Correct Option - 1

| Que. 62 After Vesicovaginal fistula repair, important intervention is |
|-----------------------------------------------------------------------|
|-----------------------------------------------------------------------|

- 1. Avoid urine collection in bladder
- 2. Adequate rest
- Antibiotics 3.
- 4. Early ambulation

Kwashiorkor doesn't include **Oue. 63**

Edema 1.

- 2. Decrease weight
- 3. Fatty liver
- 4. Change in skin and hair

Correct Option - 2

Que. 64 Normal fetal heart rate at birth in a term Newborn is

- 1. 70-110
- 2. 80-100
- 3. 100-120
- 4. 120-160

Correct Option - 4

Que. 65 Ascites Occurs due to

- 1. Hypoalbuminemia
- 2. Hyperalbuminemia
- 3. Hyperkalemia
- 4. Hypokalemia

Correct Option - 1

20W. COLU Which of the following drug is a skeletal muscle relaxant **Oue. 66** .n Eresh

- 1. Ketamine
- 2. Pentothal Sodium
- 3. Atropine
- 4. Fentanyl

Correct Option - 2

In general anesthesia, which of the following sensation disappear at last Que. 67

- 1. Pupil response
- 2. Consciousness
- 3. Pain response
- 4. Hearing

Correct Option - 4

Oue. 68 Which surgery is used in surgical menopause?

- 1. Bilateral oophorectomy
- 2. Unilateral oophorectomy
- 3. Bilateral tubectomy
- 4. Trachelectomy

Correct Option - 1

Que. 69 After hydatidiform mole surgery the nurse should assess.

1. Urinary ouput



- 2. hCG
- 3. Vaginal discharge
- 4. Biopsy result



| Que. 70 | Which of the following action is not used to prevent excessive hemorrhage in third stage of labor? |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Oxytocin administration |
| 2. U | Jterine massage |
| 3. N | Methergine administration |
| 4. I | Right mediolateral episiotomy |
| | Option - 4 |
| | |
| Que. 71 | In case of multiple delivery which action is not appropriate after birth of first baby? |
| 1. | Methergine administration |
| 2. 0 | Cord clamping |
| 3. (| Dxytocin administration |
| 4. I | Episiotomy |
| Correct | : Option - 1 |
| | |
| Que. 72 | In appendicitis, pain is located in which quadrant of the abdomen |
| 1. | Left lower quadrant |
| 2. I | Left upper quadrant |
| | Right lower quadrant |
| | Rigt upper quadrant |
| | COption - 3 |
| | In appendicitis, pain is located in which quadrant of the abdomen Left lower quadrant Right lower quadrant Rigt upper quadrant COption - 3 Transfer of frustration due to not meeting goal to another person or weaker subject is known as |
| Que. 73 | Transfer of frustration due to not meeting goal to another person or weaker subject is known as |
| 1. | Displacement |
| 2. I | Projection |
| 3. I | Rationalization |
| 4. I | Regression |
| Correct | Coption - 1 |
| | |
| Que. 74 | Laryngeal mask airway location- |
| 1. | Glottis |
| 2. 5 | Supraglottic |
| 3. I | nformalities |
| 4. I | Endotracheal |
| Correct | c Option - 2 |
| | |
| Que. 75 | A case of gangrene foot removeal in OT usually scheduled |

- 1. All the end
- 2. At the beginning
- 3. As per the convenience of the surgeon

4. As per the roll number of the day

Correct Option - 1



| Que. 76 | Gaseous anesthetic is | |
|---------|---------------------------------------------------------------------------|--|
| 1. | Ketamine | |
| 2. F | Pentothal | |
| 3. I | soflurane | |
| 4. I | Propofol | |
| Correct | Option - 3 | |
| | | |
| Que. 77 | Which of the following drug is used together with other anesthetic agent? | |
| 1. | Fentanyl | |
| 2. A | Atropine | |
| 3. H | 3. Phenobarbitone | |
| 4. I | 4. Phenytoin | |
| Correct | Option - 1 | |
| | | |

| Que. 78 | Lactation acts as a natural contraceptive in lactating mother for how many days? |
|---------|----------------------------------------------------------------------------------|
| 1. | 42 days |
| 2. 6 |) days |
| 3. 7: | 5 days |
| 4. 90 |) days |
| Correct | Option - 4 |
| | Str |
| Que. 79 | In a Burn patient, fluid loss occurs due to |

- 42 days 1.
- 2. 60 days
- 3. 75 days
- 4. 90 days

In a Burn patient, fluid loss occurs due to Que. 79

- 1. Increased capillary permeability
- 2. Increased tissue perfusion
- 3. Paralytic ileus and vomiting
- NG drainage 4.

Correct Option - 1

Que. 80 Which of the following is an indication of adequate breastfeeding in newborn?

- 1. Passes urine 8 to 10 times per day
- 2. Cries frequently
- 3. Restless
- 4. Good sucking reflex

Correct Option - 1

Que. 81 Effluent stool consistency in ileostomy?

- 1. Watery
- 2. Solid
- 3. Thick liquid
- 4. Reddish paste
- Correct Option 3



Que. 82 Which of the following is a non-absorbable suture

- 1. Polyester
- 2. Vicryl
- 3. Monocryl
- 4. Chromic catgut

Correct Option - 1

Que. 83 Folic acid prevents which of the following congenital abnormalities?

- 1. Neural tube defect.
- 2. Congenital heart disease
- 3. Down syndrome
- 4. Congenital hypothyroidism

Correct Option - 1

Position of child in nose bleeding **Que. 84**

- 1.
- 2. Lean forward sitting
- 3. Lean backward sitting
- 4. Trendelenburg

Correct Option - 2

Most common cause of post-partum Hemorrhage? Retained placenta r maternal effort nic uterus c of skilled¹ Que. 85

- 1.
- 2. Poor maternal effort
- 3. Atonic uterus
- Lack of skilled birth attendant 4.

Correct Option - 3

N

- 1. EDTA
- 2. Heparin
- Sodium citrate 3.
- 4. Lithium heparin

| Que. | 87 Color code of cannula used for child? |
|------|------------------------------------------|
| 1. | Pink |
| 2. | Blue |
| 3. | Green |
| 4. | Yellow |
| Corr | ect Option - 4 |

- 1. Black bag
- 2. Yellow bag
- 3. Red bag
- 4. Blue bag
- Correct Option 2

| Que. 89 | Which drug is used to prevent bradycardia during surgery? |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | Succinyl chloride |
| 2. | Nitrous oxide |
| 3. | Amiodarone |
| 4. | Atropine |
| Correc | t Option - 4 |
| Que. 9 | Painless bleeding after 28 weeks of pregnancy is associated with |
| 1. | |
| 2. | Hydatidiform mole |
| | Molar Pregnancy |
| | Ectopic pregnancy |
| | t Option - 1 |
| | ON |
| Que. 91 | Placenta Previa Hydatidiform mole Molar Pregnancy Ectopic pregnancy t Option - 1 Dexamethasone is used to treat Infection Cardiac dysrhythmia Hyperglycemia Anaphylaxis t Option - 4 |
| 1. | Infection |
| 2. | Cardiac dysrhythmia |
| 3. | Hyperglycemia |
| 4. | Anaphylaxis |
| Correc | t Option - 4 |
| | |
| Que. 92 | 2 Disinfectant used for cleaning HIV infected blood |
| 1. | Sodium hypochlorite |
| 2. | Hydrogen peroxide |
| 3. | Alcohol 70% |
| 4. | All of the above |
| Correc | t Option - 1 |
| | |
| Que. 93 | Hospital acquired infection referred as an infection acquired after hrs of admission |
| 1. | 24 hours |
| 2. | 48 hours |
| 3. | 72 hours |
| 4. | After discharge |
| Correc | t Option - 2 |
| | |



Que. 94 Which of the following food should be avoided when the patient is on MAOI?

1. Calcium rich food

2. Tyramine containing food

- 3. Gluten rich food
- 4. Alanine containing food



| 0 05 | |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Que. 95 | Parkland formula for fluid calculation in burn patients |
| 1. | $4 \text{ ml} \times \text{BSA} \times \text{weight}$ |
| 2. 3 m | $l \times BSA \times weight$ |
| 3. 2 m | $l \times BSA \times weight$ |
| 4. 1 m | $l \times BSA \times weight$ |
| Correct O | ption - 1 |
| | |
| Que. 96 | Simple test for varicose vein. |
| 1. | Homan's sign |
| 2. Col | d calorie test |
| 3. We | ber test |
| 4. Tre | ndelenburg test |
| Correct O | ption - 4 |
| | C |
| Que. 97 | All of the following are assessed in mental status examination, except |
| 1. | General appearance |
| 2. Jud | gement |
| 3. Pre | judice |
| 4. Inte | elligence |
| Correct O | ption - 3 |
| | All of the following are assessed in mental status examination, except General appearance gement judice elligence ption - 3 |
| Que. 98 | Priority nursing intervention in Guillain-Barre Syndrome is |
| 1. | Maintenance of airway and breathing pattern |
| 2. Nu | critional management |
| 3. Ap | propriate Positioning |
| | ly mobility |
| 4. Ear | |

- 2. 1.56
- 3. 1.86
- 4. 1.96



- Paralytic ileus 1.
- 2. Intussusception

4.

3. Hirschsprung's disease

www.freshershow.com Internal hemorrhoid Correct Option - 3